hard core


THE JOUANAL OF THE BRITISH APPLE SYSTEMS USER GROUP




October 1983

21

VOLUME 3 No. 5




Fast circles











BERHSHIRE MICROS LTD

We specialise in second-hand APPLE computers and accessories. We usually have a choice of APPLE II Europlus computers in stock.

Whather you want a complete business system or a RAM chip ring us for a quote. We can't guarantee having just what you want but if we do have it you will save money.

Used Equipment Currently in stock

APPLE II 48K EUROPLUS ITT 2020 APPLE Dite Drives Selection of Printers Selection of Apple Cards APPLE Monitor III Selection of green screen monitors

We stock the following new equipment:

and and an additional and additional additional and additional addit	
JUKI Daisywheel printers	365
STAR 510 Dot Matrix printers	260
SHINWA CP-80 Dot Matrix printers	260
APPLE Compatible Disc Drives from	195
APPLEWRITER III	110
Discs (Box of 10)	14
Fanfold Paper (2000 Sheets)	12

We also stock the complete range of PEANUT accessories

NEW THIS MONTH

WORDSTAR with the Micropro STARCARD. (2808, 6MHz and 64K RAM) All-In price of 285

We will take your APPLE II in part exchange for an APPLE IIe

We can repair your APPLE quickly at competitive prices.

Complete systems available for hire

We pay cash for used APPLE equipment

All prices quoted are exclusive of VAT

BRACKNELL (0344) B4423

AMPLE EI

Amplifier & Volume control for Apple 10 and //e

40/80 Column switches only £8.5 (state which card)

Small run hardware a speciality,

STILL ONLY £45 TO BASUG MEMBERS :-



Sound effects

ALL PRICES

Meckrose Ltd 85 Waterdell Leinhon Buzzard

Telephone: Leignton Buzzard (0525) 370621

Bedfordthire

1 U7 RPL

MEEKROSE

hardcore

THE JOURNAL OF

THE BRITISH APPLE SYSTEMS USER GROUP

P.O.BOX 174

Bob Raikes

WATFORD

WD2 6NF

BASUG Ltd. is a non-profit-making company limited by guarantee.

Barug Committee

Norah Arnold Tony Williams Fran Teo Jim Panks John Rogers John Wellsman David Bolton Quentin Reidford Keith Chamberlain

Quentin Reidford Keith Chamberlain Yvette Raikes Peter Blair,

John Rodger & Mike Siggins Secretary Treasurer Administrator Software Library

Chairman

Meetings

Membership
Communications
Lit. Library

Hardcore Editor

Assistants

Many regular features such as the editorial, chairman's corner, etc. are missing from this issue due to lack of space.

BANKERS

National Westminster Bank PLC, Brompton Square, London SW3 1HH.

COPYRIGHT (C) - The contents of this journal are copyright of the British Apple Systems User Group and /or the respective authors. However permission will normally be granted for non-commercial reproduction by user groups affiliated to the International Apple Core, provided the author and source are properly credited.

The opinions and views expressed are those of the various contributors, and are not necessarily supported by the British Apple Systems User Group.

CONTENTS

4 The Apple speaks to the BBC

Nik Kelly 9 Apple Magazines Keith Chamberlain

9 Apple Magazines Keith Chamberlain Basug Telephone II Mainframe Interview

13 More on the 737 Margaret Wood 15 Education Norah Arnold

Exec Tip Martin Rogers 18 Book Review Jim Panks

19 Fast Circles Ray Harris Lonely Apples

22 Permanent & Temporary Strings Richard Teed

23 Software Library

26 Communications Update
Quentin Reidford

John Molloy & Colin Holgate

35 DOS End of File Richard Teed

39 Readers' Letters 46 Diary



MEMBER OF THE INTERNATIONAL APPLE CORE

HARDCORE is produced using Applewriter I, and printed on an APTEC Flowriter with a Madeleine Daisy-wheel

Front Cover: Design by Ray Harris. See article on Fast Circles in this issue.

The Apple Speaks To The BBC

By Nik KELLY 8 August 1983

Introduction.

This article describes the programs I have developed to link an Apple with a BBC'B via 4800 Baud RS232. The BASIC is simplified by three short machine-code programs, a Call -APPLE 'line input' for reading disk files 'Inline' and and my serial routines.

Request To Send?

The two obstacles to interfacing an Apple are the Disk Operating System (DOS) and the lack of a 'line input' in Applesoft. Apple DOS is involved in every 1/O task. All conventional text transfers must through its input and output vectors but, sadly, DOS cannot keep separate input and output streams.

If I want to print a text file from the disk, I must use a program like:

'N = 0 : REPEAT : (d)OPEN : (d)POSITION, R N : INPUT LINE AS : (d)CLOSE : N = N+1 : (d)PR# printer : PRINT AS: (d)PR#0 : UNTIL end of data'

The reverse trip is little better,

'(d)OPEN F\$: (d)CLOSE F\$: REPEAT :(d)IN#2: INPUT LINE AS : (d)IN#0 : (d)APPEND FS : PRINT A\$: (d)CLOSE F\$: UNTIL end of data"

The REPEAT UNTIL is usually implemented with 'ON ERR GOTO'. INPUT LINE must use GET. looped until the end of the line, to allow commas, quotes and colons to be transferred: One alternative to the resulting 'whirr then wait' is to put the strings into an array. then APPEND or PRINT it all at once. It takes a lot of RAM, though. A de-tokenised program can expand by a factor of five!

These programs bypass both of problems. The serial input and output do not pass through DOS, so the IN# and PR# are not needed, and the 'Line Input' is performed by an ampersand utility.

The Hardware.

1) The BBC Micro.

The 'B' has an RS 423 interface with Baud

rate and bit pattern selected by software. The DOMINO socket carries RS 232 compatible CTS/RTS, Din/Dout and Ground signals, as shown in the BBC Guide, The plugs are reversible, so PLEASE mark the top clearly!

The BBC is a strange machine for an Apple owner. There's a 6502 CPU, ROMs at the top of RAM, memory-mapped I/O and ROM-paging, but the organisation seems weird. It isn't. The simplest way to look at it is to imagine that I've used one of those expensive utilities that relocates DOS onto a second RAM card. Now, I'd have FP, INT and DOS on different 16 K pages, to match my BBC's BASIC, WORDWISE, Forth and DFS 16K chips. The big difference is that the 4K Apple Monitor gets over-layed, while the 12 K BBC equivalent, the OS, is common to all. Other than that, the similarities are remarkable, The Monitor contains the slot and cassette I/O routines, the screen editing, (Lo-res), even sound: the Beep! for ctrl-G. The BBC OS has those, with suitable extensions for the extra hardware, but it also has a Command Line Interpreter to ease the access: DOS grabs every printed line beginning with ctrl-D, while the BBC OS intercepts commands marked by an asterisk.

The serial 'effects' commands are;

* F	X 2, 1	(Take input from serial, locks out kbd
	0	(Restores default
* F	X 5, 2	(Printer is serial
	1	(default Centronics
* F	X 6, 0	(Allow 'line-feeds'
	10	(default, blocks lfs
* F	X 7, 6	(talk at 1 150 3 600 5 2400 Baud
	8, 6	(hear at 2 300 4 1200 6 4800
* F	X 156,20,227	(8 data, noPar, 16 = 1, 20 = 2 stop bits

Low FX calls are quoted from the BBC Guide. FX 156 is from Acorn leaflet BR001-6/83.

2) The Apple.

The Apple has a disk controller in slot 6 and a serial card in slot 2. The software in this card's PROMs is not needed, as the programs go directly to the 6850 ACIA. This uses two locations, CONTROL at \$COA4 = 49316, and DATA at \$COA5 = 49317. Baud rates between 150 and 4800 are selected by a

rotary switch. These addresses are different for other slots and cards, but the programs are easily changed. Modifications for other ACIA chips are welcomed.

3) Cables.

My serial card has a 12 inch ribbon with header-plug and D-25 socket. I made a 'null-modem' adaptor for the BBC, wired CTS to RTS, Din to Dout and vice-versa, with common Signal Ground. If my cabling was based on D-25, I would have used a D-25 null-modem and an in-line adaptor, CTS to CTS, Din to Din etc.

For short distances, the cable can be a piece of 5-way ribbon, but for lengths over a metre please use quad screened core, or similar. As with any signal carrier such as printer or joy-stick cables, route the serial link away from sources of interference.

The ACIA butter chips protect against open and short-circuits on the RS 232 lines, and are not vulnerable to moderate levels of static. They will NOT survive telephone, current -loop / Teletype or 'mains' voltages - nor will the computers!

The Software.

The software deals with strings. For speed, my serial I/O requires the first variable to be the send/receive string, so

10 AS = " : REM I/O VAR,

The & Utility is not limited in this way.

The machine -code occupies approx 160 bytes of the Apple's page \$300, with the Line Input utility for disk files, and the serial OUTLINE and INLINE programs. I've kept them separate as you may not need all of them.

First, at \$300 for a CALL 768 or BRUN, is the jump to SETUP which sets the serial parameters and establishes the \$3F5 jump for the ampersand. This is followed by jumps at 771 and 774 to OUTLINE and INLINE respectively. I didn't like using so many jumps but there is no significant delay and the CALLs are easy to remember.

After SETUP comes D. A. Lingwood's &INPUTLINE utility, from 'Call Apple in depth #1 1981'. When I discovered it recently, I realised that it was too neat to beat. It reads upper and lower-case, punctuation and quotes into the keyboard

buffer through the current DOS vectors. When it reaches RETURN or CHR\$(13), it points the named string to the data. If you need to save the string, you must use a line such as ' AS = " + AS before the buffer is re-used.

Next is OUTLINE. This sends the contents of the 1/O string to the serial port. The format is ' A = "MESSAGE" : CALL 771 ' Using the ampersand, '40 AS = " 50 & AS 60 CALL 771 : GOTO 50 ' can READ a text file fast enough to keep my disk spinning.

Applesoft stores its strings in two parts: VARSP @ \$69,6A points to the start of the variables. Strings have two bytes for the name, then a byte for the length, then the address of the text in lo,hi format, which may be anywhere in memory. My program copies the length and lo,hi bytes into page-zero, checks for a null string, then initialises the Y register as the position counter.

For each character, the program calls the READY subroutine. This loops until 'bit I' of the ACIA CONTROL register goes to I, showing that the line is free for use. The first character is then copied from the string and put into the DATA register, automatically setting CONTROL 'bit 1' to zero. OUTLINE then loops back until the entire string has gone, Finally, a CHR\$(13) RETURN is sent to complete the line.

INLINE is very similar, but the I/O string should be filled with spaces before use to reserve space for the incoming message. Again, it copies the string's lo,hi address into page zero. The Y register is used as the length counter, while the X holds the bit-pattern that will set the ACIA to show BUSY and prevent an over-run. The BUSY is turned off, and a rapid loop checks for a received character. A 1 in 'bit 0' shows there's a catch, when the gate is promptly set to BUSY. The DATA is read, and if it isn't a CHR\$(13), it is added to the string text. When the end-line arrives, or the length counter fails-safe at 256, the length is reduced by one and this result is put into the string header.

The Uses.

I hoped the link would save the cost of a disk for the BBC and allow me to treat the BBC as an intelligent graphics display. The serial software took too long to develop. Both ir hines now have disks and the graphics are to program on the BBC, but the link

has proved useful. My current word-processor is Wordwise, in the BBC, so that machine has the 'parallel' Epson. The Apple uses a old 40 column Silentype for 'quickie' listings, but anything else goes via the BBC. The BBC's built-in symbolic assembler, though fine for little programs, is no match for LISA on the Apple. The assembly listing in this article was put on disk by LISA 2.2, then sent through the link to Wordwise. I just had to remember that after I typed '*FX 2,1' at the BBC, the Apple needed to send a 'Return' and an 'Escape' to put Wordwise in Insert-mode, then finish with an 'Escape' and '*FX2' to set it free!

The Tale

At the start, using the serial card's software and a 'receive' patch for the BBC's 0.1 OS, the link ran at 300 Baud. The Apple's looped GET statements effectively halved that, which meant that transfers averaged five minutes.

While I waited for the BBC's promised 1.0 OS ROM, I used its 1200 Baud tape socket and tried to improve the 'receive' patch. Both machines had 6850 ACIA chips in their interfaces, but while the Apple's was well behaved, the BBC's would not follow the data sheet. I knew that a ULA chip intercepted some of the CONTROI bits, but I couldn't get any information for several months.

The BBC's 'receive' was stalled, so I turned to the 'send'. The higher Baud rates promptly over-ran the Apple. I checked for a disconnected hand-shake line, discovered that the serial card wasn't providing the signal! I couldn't believe it. I'd paid extra for a versatile serial card, so surely that signal was in its list of options? Yes and no. The hardware was there, but fitting all the clever printer routines into the card's PROMs had squeezed out the dozen bytes needed for a hand-shake loop.

I abandoned IN#7, wrote a mini-assembler program to provide hand-shake and store the received character at the end of the program. The BASIC GET then became 'CALL 768': A\$ = CHR\$(PEEK(790))'. The BASIC ran much quicker without those BOS commands! After losing another struggle with the BBC patch, I wrote a prototype INLINE. To my surprise, I had some trouble with handshake above 600 Baud. Several of the standard loops just couldn't keep up, and I spent weeks trying different ways to stop the machine-code doubling or dropping initial characters.

At that stage, I got some information on the BBC chips, and saw how to turn the BUSY on and off quickly. Fitting that to the scarcely documented BBC I/O vectors took some weeks, but I finally sent a large file to and fro at 4800 Baud. That was a Saturday night. On the Tuesday, a packet arrived with Wordwise and a OS 1.2 chip

The BBC machine had one final trick to play: The OS 1.2 used different default parameters for the serial. Until I could check the chips, I thought I'd blown a buffer. Even then, I had to wait for Acorn to send the *FX 156 data.

The next step.

The programs can be improved. Using named through-out, monitoring ACIAs and linking three or more machines in a loop come to mind. If the Out of one is connected to the In of the next, and every message is preceded by two bytes of address, then you could specify one, many or all of 16 machines without complex addressing. Just AND the address with your own, which has a single bit set. If not yours, then send the message on. If yours, then clear that bit and send the message on. If both bytes of address come in as zero, then it has been all the way around and you can dump it. To do it properly, of course, the I/O would need interrupt programming.

Recently, I became interested in linking several machines after watching my young cousins playing (?) D&D on a map-board. I've seen many computerised Adventure games, from Cavern to Zork, The Valley to Wizardry and, real-time, Aphsai to Hellfire, but everyone is really a solitaire. When you're knee-deep in zapped whatsits and they're still coming, a map can be a very lonely place, Also, those puzzles and hazards algorithm-bound. There are few opponents or partners better than the live variety and, provided the game is real-time, the programming could be simplified. For instance, the BASIC ROMs can serve as the map! .. Any ideas?

The programs should soon be available from the software library.

REM APPLE DISK TO WORDWISE A\$ = "": REM I/O STRING CALL 768	03F5	14	AMPERS EQU \$03F5 ACIAC EQU \$C0A4 ACIAD EQU ACIAC+1 RESET EPZ \$03
1 A\$ = "": REM I/O STRING	C0A4	15	ACIAC EQU \$C0A4
10 CALL 768	COAS	16	ACTAD EQU ACTAC+1
20 CALL 771	0003		
20 CALL 771 30 INPUT " FILE NAME ";F\$	0015	18	SERON EPZ \$15
40 DS = CHR\$ (4)	0000	19	SEROFF EPZ 555
20 CALL 771 30 INPUT " FILE NAME ";F\$ 40 D\$ = CHR\$ (4) 50 A\$ = CHR\$ (27): CALL 771 60 PRINT : PRINT D\$"OPEN"F\$ 70 PRINT D\$"READ"F\$ 80 ONERR GOTO 120 90 A\$ = "" 100 & A\$ 110 CALL 771: GOTO 100 120 PRINT D\$"CLOSE" 125 POKE 216,0	0300	21	SEROFF EPZ \$55; 8 DATA NOPAR 1 STO VARSP EPZ \$69
70 PRINT : PRINT D5"OPEN"F5	0069	22	VARSP EPZ \$69 ZP EPZ \$FA
PA ONEGO COTO 12A	nann	22 23 24 25	: SFA - SFC USED
30 AS - ""	0002	24	MASK EPZ \$02
100 % 45	0000	25	EOL EPZ \$0D
110 CALL 771: GOTO 100	OOFD	26	ZP2 EPZ \$FD
120 PRINT DS"CLOSE"	0300		; USES SFD - SFE
125 POKE 216,0	0300	28	1 2000 350 400
130 AS - CHPS (27) - CALL 771	0300	29	-
140 A\$ = "*FX2": CALL 771	0300 0300 0300	30	1
140 A\$ = "*FX2": CALL 771 150 REM FROM *W. 160 REM *FX7,6 170 REM *FX8,6 180 REM *FX156,16,227 190 REM *FX2,1	0300	31	;** SETUP JUMPS **
160 REM *FX7,6	0300	32	1
170 REM *FX8,6	0300 4C0903	33	BRUN JMP SETUP
180 REM *FX156,16,227	0303 4C3D03	34	OUT JMP OUTLIN
190 REM *FX2,1	0306 4C6F03		IN JMP INLINE
SAA MELL TIPLE LARLE THISPE AUPR	6260	36	
0 REM BBC TO APPLE DISK 1 A\$ = "": REM I/O STRING 10 S\$ = " ": FOR N = 1 TO 51:	0309 A94C	37	SETUP LDA #\$4C
E DIE STELL STOLL TOWN	030B 8DF503	38	STA AMPERS
O REM BBC TO APPLE DISK	030E A923	39	LDA #ENTRY
1 AS = "": REM 1/O STRING	0310 8DF 603	40	STA AMPERS+
10 55 = " ": FOR N = 1 10 51:	0313 A903	41	LDA /ENTRY
A) = A) + D); NEXI	0313 805703	42	STA AMPERS+ LDA #RESET
an he cune (4)	0318 85456	4.5	CTA ACIAC
00 DD INT D\$ "OPEN" F\$	0310 4955	4.5	LDA #SEPORE
50 PRINT DS OPEN TO	031F 80A4C0	46	STA ACIAC
A\$ = A\$ + S\$: NEXT A\$ = A\$ + S\$: NEXT INPUT " TO DISK FILE NAME ";F\$ D\$ = CHR\$ (4) PRINT D\$"OPEN"F\$ PRINT D\$"WRITE"F\$ CALL 774 "ENDELLE" THEN PRINT	0322 60	47	RTS
70 IF A\$ < > "ENDFILE" THEN PRINT A\$: GOTO 60	0323	48	1
AS: GOTO 60	0323	49	; END OF SETUP
80 PRINT DS"CLOSE"FS	0323	50	
90 PRINT "DONE !"	0323	51	1
100 REM TEST	0323	52	1
	0323	53	1
	0323 0323 0323 0323 0323		;*** & INPUT ***
A\$: GOTO 60 80 PRINT D\$"CLOSE"F\$ 90 PRINT "DONE !" 100 REM TEST The Assembly listing.	0323 0323	55	1
	0323	56	;(C) D A LINGWOOD
2720	0323 0323 0323	3/	; CALL-APPLE 1981
0800 1 ;	0323		; IN DEPTH #1 P126
0800 2 ;	0323	59	; = INPUTLINE A\$
		60	
		61	
0800 5 ; NIK KELLY			
0800 6 : 6 AUGUST '83	0326 A200 0328 2075FD	63	LDX #500
	032B A000	65	JSR \$FD75
0800 8 ;	032D 8A	66	LDY #\$00
0800 9 ; 0300 10 CALL768 ORG \$0300	032E 9183	67	TXA STA (\$83),Y
0300 II OBJ \$1000	0330 C8	68	INY
0300 11 OBS 31000	0331 A900	69	LDA #500
0300 13 ;	0333 9183	70	STA (\$83),Y

0336 A902 72	0335	C	71	INY	036F	128	ă.
1938 1935 75			6.8		036F	179	
1938 1939 74					77.7.7.0		
033D 76 : END OF & INPUT 036F 133 :** INPUTLINE *** 033D 76 : END OF & INPUT 036F 134 : NIK KELLY 033D 77 : 036F 135 : 30 JULY 1983 033D 78 : 036F 136 : 30 JULY 1983 033D 78 : 036F 136 : 30 JULY 1983 033D 80 : 036F 137 : 38 : BUT LEN() = 225 033D 81 : 036F 138 : BUT LEN() = 225 033D 82 : 036F 138 : BUT LEN() = 225 033D 82 : 036F 139 : 140 :				A	14,140,141	1 4 4 4 4	
033D 76		403903		The state of the s	1.45.45		,
033D 77 ; 036F 134 ; 35 ; 30 JULY 1983 036F 136 ; 30 JULY 1983 035D 80 ; 036F 137 ; A\$ IS IST VAR 035D 80 ; 036F 137 ; A\$ IS IST VAR 035D 80 ; 036F 137 ; A\$ IS IST VAR 035D 81 ; 036F 137 ; A\$ IS IST VAR 035D 82 ; 036F 138 ; BUT LEN() = 255 033D 82 ; *** OUTLINE *** 036F 140 ; COPY A\$ LO, HI 100	4-				70125	40.00	A 2 4 A 441 PM CONT A 475 W. C.
033D 78						200	THE OTHER
033D 80			6.7				
033D 81				1	22.2	-	The state of the s
035D 81	033D			;		200	
033D 82; **** CUTLINE *** 036F 140; 033D 84; **** CUTLINE *** 036F 140; 033D 85; NIK KELLY 036F A003 142; INLINE LDY #\$03 033D 85; NIK KELLY 036F A003 142; INLINE LDY #\$03 033D 86; 30 JULY 1983 0371 B169; 143 033D 87; 0373 85FD 144 033D 87; 0373 85FD 144 0375 C85 145 0376 B169; 146 033D 88; 0 A\$="":REM IST VAR 0375 C8 145 033D 89; 0376 B169; 146 033D 89; 0376 B169; 146 033D 89; 0376 B169; 147 033D 89; 0376 B169; 146 033D 89; 0377 148; 0378 033D 90; 0378 149; 0378 033D 149; 0378 0349 94 LOOP1 LDA (VARSP), V 0376 A255 0349 99; 0378 0349 100; CATCH NULL STRING 0387 0349 100; CATCH NULL STRING 0383 156; CHECK FOR BATA CIAC 1349 0349 100; CATCH NULL STRING 0383 156; CHECK FOR BATA CIAC 1349 0349 100; CATCH NULL STRING 0388 FOFB 159 0349 104; WORK THROUGH STRING 038A 160; CHECK FOR BATA CIAC 1349 0340 103; 0380 8080 8080 8080 8080 8080 8080 8	033D		80	1		6.00	
033D	033D		81	;	7 7 7 7	0.0	; BUT LEN() = 255
033D	033D		82	The sametre server		-	1
033D	033D		83	;*** OUTLINE ***	12127 (2.2)		
033D	033D		84	i man man arm	To the second second second		
033D	033D		85	: NIK KELLY	036F A003	142	
033D	033D		86	; 30 JULY 1983		143	LDA (VARSP), Y
033D	033D		87		0373 85FD	144	STA ZP2
033D			88	:0 AS="":REM 1ST VAR	0375 C8	145	INY
033D 90 ; 037A 85FE 147 STA ZP2+1 033D 991 ; 037A 148 ; 033D A002 92 OUTLIN LDY #\$02 037A 149 ; SET FOR OUICK ON/ 033F 93 ; COPY A\$ LEN, LO, HI 037A A000 150 LDY #\$00 033F B169 94 LOOPI LDA (VARSP), Y 037C A255 151 LDX #SERON 0349 99580 95 STA ZP2-2, Y 037E 152 ; 0344 C8 96 INY 037E A915 153 LOOP4 LDA #SERON 0345 C005 97 CPY #\$05 0380 8DA4C0 154 STA ACIAC 0347 D0F6 98 BNE LOOPI 0383 155 ; 0349 99 100 ; CATCH NULL STRING 0383 A901 157 ; 0349 A5FA 101 LDA ZP 0385 2CA4C0 158 LOOP5 BIT ACIAC 034B F011 102 BEQ SENDCR 0388 F0FB 159 BEQ LOOP5 034D 103 ; 034D 104 ; WORK THROUGH STRING 038A 160 ; 034D 104 ; WORK THROUGH STRING 038A 160 ; 034D 107			89	Manager of President States To.	0376 BL69	146	LDA (VARSP),Y
033D			90	:	0378 85FE	147	
033B A002 92 OUTLIN LDY #\$02 037A 149; \$ET FOR QUICK ON/ 033F B169 94 LOOP1 A\$ LEN, LO, HI 037A A000 150 0341 99F800 95 0341 99F800 95 0342 C8 96 1NY 037E A915 151 LDX #\$EROP 0345 C005 97 CPY #\$05 0380 8DA4C0 154 STA ACIAC 0347 D0F6 98 0349 100 0349 100 0349 100 0349 A5FA 101 0340 C6FA 105 0350 B1FB 109 0350 D0F3 112 0350 D0F3 112 0350 B1FB 109 0350 D0F3 112 0350 B1FB 109 0350 D0F3 112 0350 D0F3 115 0350 D0F3 117 0350 D0F3 118 0350 D0F3 117 0350 D0F3 117 0350 D0F3 118 0350 D0F3 117 0350 D0F3 118 0350 D0F3 117 0350 D0F3 117 0350 D0F3 117 0360 D0F3 117 0370 D0F3 D380 D0F3 D0F3 D0F3 D0F3 D0F3 D0F3 D0F3 D0F			7 10 10		037A	148	•
033F 033F 03		A002			037A	149	; SET FOR QUICK ON/OFF
033F B169 94 LOOP1 LDA (VARSP), V 037C A255 151 LDX #SEROF O341 99F800 95 STA ZP-Z, Y 037E 152; 0344 C8 96 INY 037E A915 153 LOOP4 LDA #SEROR O345 C005 97 CPY #\$05 0380 8DA4C0 154 STA ACIAC 0347 D0F6 98 BNE LOOP1 0383 155 CHECK FOR DATA 0349 99; 0349 100 CATCH NULL STRING 0383 A901 157 LDA #\$01 0349 A5FA 101 LDA ZP 0385 ZCA4C0 158 LOOP5 B1T ACIAC 0348 F011 102 BEQ SENDCR 0388 F0FB 159 BEQ LOOP5 0340 103 ; 0349 0103 ; WORK THROUGH STRING 038A 160 ; 0340 103 ; WORK THROUGH STRING 038A 160 ; 0340 103 ; WORK THROUGH STRING 038A 160 ; 0340 104 ; WORK THROUGH STRING 038A 160 ; 0340 105 DEC ZP 038A 8EA4C0 162 STX ACIAC 034F A0FF 106 LDY #\$FF 038D ADA5C0 163 LDA ACIAD 0351 C8 107 LOOP2 INY 0390 C90D 164 CMP #EOL 0352 Z06703 108 JSR READY 0392 F005 165 BEQ EXIT 0355 B1FB 109 LDA (ZP+1), Y 0394 91FD 166 STA (ZPZ), 0357 8DA5C0 110 STA ACIAD 0396 C8 167 INY 035A C4FA 111 CPY ZP 0399 S8 171 EXIT DEY 2P 0357 8DA5C0 110 STA ACIAD 0396 C8 167 INY 0356 C90F 111 CPY ZP 0399 88 171 EXIT DEY 2P 0355 BNE LOOP4 111 CPY ZP 0399 88 171 EXIT DEY 0356 60 114 ; FINISH WITH EOL 0399 88 171 EXIT DEY 0356 60 115 SENDCR JSR READY 0392 F005 168 BNE LOOP4 #\$0356 206703 115 SENDCR JSR READY 0399 88 171 EXIT DEY 0366 60 118 RTS 0399 60 175 RTS 0367 119 ; CHECK 6850 ACIA 03300 176 ; STORE NEW LENGTH 0366 60 124 RTS 0366 60 124 RTS 0366 60 124 RTS 0366 60 124 READY LDA #MASK 03A0 177 ; END OF INPUTLING 0366 60 124 RTS 0		71002	-			-	
0341 99F800 95		0.170					
0344 C8 96 INY 037E A915 153 LOOP4 LDA #SERON 0345 C005 97 CPY #\$05 0380 8DA4C0 154 STA ACIAC 0347 D0F6 98 BNE LOOP1 0383 156; CHECK FOR DATA 0349 99; O383 A901 157 LDA #\$01 0349 A5FA 101 LDA ZP 0385 2CA4C0 158 LOOP5 BIT ACIAC 034B F011 102 BEQ SENDCR 0388 F0FB 159 BEQ LOOP5 034D 103; WORK THROUGH STRING 038A 160; ADD 1 TO STRING 034D C6FA 105 DEC ZP 038A 8EA4C0 162 STX ACIAC 034B A0FF 106 LDY #\$FF 038D ADA5C0 163 LDA ACIAD 0351 C8 107 LOOP2 INY 0390 C90D 164 CMP #EOL 0352 206703 108 JSR READY 0392 F005 165 BEQ EXIT 0355 BIFB 109 LDA (ZP+1), Y 0394 91FD 166 STA (ZP2), 0357 8DA5C0 110 STA ACIAD 0396 C8 167 INY 0350 C0F3 112 BNE LOOP2 0399 169; STORE NEW LENGTH 035C D0F3 112 BNE LOOP2 0399 169; STORE NEW LENGTH 035C D0F3 112 BNE LOOP2 0399 169; STORE NEW LENGTH 0366 A00D 116 LDA #COL 039B A002 173 LDY #\$02 STA ACIAD 0366 60 118 RTS 039F 60 175 RTS 036C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 178 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; STORE NEW LENGTH 036C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 179 ; O36C F0FB 125 END OF OUTLINE ***** END OF ASSEMBLY			1000				,
0345 C005 97							LOOPA LDA MSERON
0347 D0F6 98							
0349 99; 0383 156; CHECK FOR DATA 0349 100; CATCH NULL STRING 0383 A901 157 0349 A5FA 101		Control of the control					JIN AGING
100 CATCH NULL STRING 0383 A901 157				DIVE LEADED			COLCY FOR DATA
0349 A5FA 101				ALTON WILL STOLLS			
034B F011 102 BEQ SENDCR 0388 F0FB 159 BEQ LOOPS 034D 103 ; 038A 160 ; 034D 104 ; WORK THROUGH STRING 038A 161 ; ADD IT TO STRING 034D C6FA 105 DEC ZP 038A 8EA4CO 162 STX ACIAC 034F A0FF 106 LDY #\$FF 038D ADA5CO 163 LDA ACIAD 0351 C8 107 LOOP2 INY 0390 C90D 164 CMP #EOL 0352 206703 108 JSR READY 0392 F005 165 BEQ EXIT 0355 BIFB 109 LDA (ZP+1), Y 0394 91FD 166 STA (ZP2), 0357 8DA5CO 110 STA ACIAD 0396 C8 167 INY 035A C4FA 111 CPY ZP 0397 D0E5 168 BNE LOOP4 035C D0F3 112 BNE LOOP2 0399 169 ; 035E 113 ; 0399 170 ; STORE NEW LENGTH 035E 114 ; FINISH WITH EOL 0399 88 171 EXIT DEY 035E 206703 115 SENDCR JSR READY 039A 98 172 0363 8DA5CO 117 SIA ACIAD 039B A002 173 LDY #\$02 0363 8DA5CO 117 SIA ACIAD 039B 0169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 ; 0360 176 ; 0367 120 ; CHECK 6850 ACIA 03A0 176 ; 0368 F0FB 123 BEQ LOOP3 RTS 0366 60 124 READY LDA #MASK 03A0 178 ; 0366 60 124 READY LDA #MASK 03A0 179 ; 0366 60 124 READY LDA #MASK 03A0 179 ; 0367 120 ; CHECK 6850 ACIA 03A0 179 ; 0368 60 124 READY LDA #MASK 03A0 179 ; 0369 2CA4CO 122 LOOP3 BIT ACIAC 03A0 179 ; 0366 60 124 READY LDA #MASK 03A0 179 ; 0367 125 ; 0367 126 ; END OF OUTLINE ***** END OF ASSEMBLY	1000						
034D							
034D		F011		BEQ SENDCR			The state of the s
034D C6FA 105 DEC ZP 038A 8EA4C0 162 STX ACIAC 034F A0FF 106 LDY #\$FF 038D ADA5C0 163 LDA ACIAD 0351 C8 107 LOOP2 INY 0390 C90D 16# CMP #EOL 0352 206703 108 JSR READY 0392 F005 165 BEQ EXIT 0355 B1FB 109 LDA (ZP+1), V 0394 91FD 166 STA (ZP2), 0357 8DA5C0 110 STA ACIAD 0396 C8 167 INY 035A C4FA 111 CPY ZP 0397 D0E5 168 BNE LOOP4 035C D0F3 112 BNE LOOPZ 0399 169 : 035E 113 ; 0399 170 ; STORE NEW LENGTH 035E 206703 115 SENDCR JSR READY 0399 88 171 EXIT DEY 0361 A90D 116 LDA #EOL 0399 88 171 EXIT DEY 0361 A90D 116 LDA #EOL 039B A002 173 LDY #\$02 0363 8DA5C0 117 STA ACIAD 039D 9169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 ; CHECK 6850 ACIA 03A0 176 ; O367 A902 121 READY LDA #MASK 03A0 177 ; END OF INPUTLING 036C F0FB 123 BEQ LOOP3 BIT ACIAC 03A0 177 ; END OF INPUTLING 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY							
034F AOFF		Carolina					
0351 C8							
0352 206703 108							
0355 B1FB 109				LOOP2 INY			
0357 8DA 5C0 110 STA ACIAD 0396 C8 167 INY 035A C4FA 111 CPY ZP 0397 D0E5 168 BNE LOOP4 039C D0F3 112 BNE LOOP2 0399 169 ; O399 170 ; STORE NEW LENGTH 035E 113 ; 0399 170 ; STORE NEW LENGTH 035E 206703 115 SENDCR JSR READY 0399 88 171 EXIT DEY 035E 206703 115 SENDCR JSR READY 0399 88 172 TYA 0361 A90D 116 LDA #EOL 039B A002 173 LDY #\$02 0363 8DA 5C0 117 STA ACIAD 039B A002 173 LDY #\$02 0363 8DA 5C0 117 STA ACIAD 039B 9169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 ; 0367 120 ; CHECK 6850 ACIA 03A0 176 ; 0367 0367 120 ; CHECK 6850 ACIA 03A0 176 ; 0367 0367 120 ; CHECK 6850 ACIA 03A0 177 ; END OF INPUTLIN 0367 A902 121 READY LDA #MASK 03A0 178 ; 0369 2CA 4C0 122 LOOP3 BIT ACIAC 03A0 179 ; 036C F0FB 123 BEQ LOOP3 180 END END 036F 125 ; 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY				JSR READY	0392 F005		
0357 8DA 5C0 110 STA ACIAD 0396 C8 167 INY 035A C4FA 111 CPY ZP 0397 D0E5 168 BNE LOOP4 039C D0F3 112 BNE LOOP2 0399 169 ; O399 170 ; STORE NEW LENGTH 035E 113 ; 0399 170 ; STORE NEW LENGTH 035E 206703 115 SENDCR JSR READY 0399 88 171 EXIT DEY 035E 206703 115 SENDCR JSR READY 0399 88 172 TYA 0361 A90D 116 LDA #EOL 039B A002 173 LDY #\$02 0363 8DA 5C0 117 STA ACIAD 039B A002 173 LDY #\$02 0363 8DA 5C0 117 STA ACIAD 039B 9169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 ; 0367 120 ; CHECK 6850 ACIA 03A0 176 ; 0367 0367 120 ; CHECK 6850 ACIA 03A0 176 ; 0367 0367 120 ; CHECK 6850 ACIA 03A0 177 ; END OF INPUTLIN 0367 A902 121 READY LDA #MASK 03A0 178 ; 0369 2CA 4C0 122 LOOP3 BIT ACIAC 03A0 179 ; 036C F0FB 123 BEQ LOOP3 180 END END 036F 125 ; 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY				LDA (ZP+1),Y	0394 91FD		
035C D0F3 112 BNE LCOPZ 0399 169 ; 035E 113 ; 0399 170 ; STORE NEW LENGTH 035E 114 ; FINISH WITH EOL 0399 88 171 EXIT DEY 035E 206703 115 SENDCR JSR READY 039A 98 172 TYA 0361 A90D 116 LDA #EOL 039B A002 173 LDY #\$02 0363 8DA5C0 117 STA ACIAD 039B 9169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 : 03A0 176 ; 0367 120 ; CHECK 6850 ACIA 03A0 176 ; 0367 120 ; CHECK 6850 ACIA 03A0 177 ; END OF INPUTLIN 0367 A902 121 READY LDA #MASK 03A0 178 ; 0369 2CA4C0 122 LCOP3 BIT ACIAC 03A0 179 ; 036C F0FB 123 BEQ LCOP3 180 END END 036E 60 124 RTS 036F 125 ; 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY			110		0396 C8		
035E 113 ; 0399 170 ; STORE NEW LENGTH 035E 206703 115 SENDCR JSR READY 0399 88 171 EXIT DEY 035E 206703 115 SENDCR JSR READY 039A 98 172 TYA 0361 A90D 116 LDA #EOL 039B A002 173 LDY #\$02 0363 8DA5C0 117 STA ACIAD 039D 9169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 : 03A0 176 ; 0367 120 ; CHECK 6850 ACIA 03A0 176 ; 0367 120 ; CHECK 6850 ACIA 03A0 177 ; END OF INPUTLIN 0367 A902 121 READY LDA #MASK 03A0 178 ; 0369 2CA4C0 122 LOOP3 BIT ACIAC 03A0 179 ; 036C F0FB 123 BEQ LOOP3 036E 60 124 RTS 036F 125 ; 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY	035A	C4FA	111	CPY ZP	0397 DOE5		BNE LOOP4
035E			112	BNE LOOPZ	0399	100	The state of the s
035E 206703 115 SENDCR JSR READY 039A 98 172 TYA 0361 A90D 116 LDA #EOL 039B A002 173 LDY #\$02 0363 8DA 5CO 117 STA AC1AD 039B 9169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 : 0367 120 : CHECK 6850 ACIA 03AO 176 : 0367 A902 121 READY LDA #MASK 03AO 177 ; END OF INPUTLING 0367 A902 121 READY LDA #MASK 03AO 178 : 0369 2CA4CO 122 LOOP3 B1T ACIAC 03AO 179 : 036C FOFB 123 BEQ LOOP3 180 END END 036E 60 124 RTS 036F 125 : 036F 126 : END OF OUTLINE ***** END OF ASSEMBLY	035E		113		0399	170	; STORE NEW LENGTH
0361 A90D 116 LDA #EOL 039B A002 173 LDY #\$02 0363 8DA5C0 117 SIA ACIAD 039D 9169 174 STA (VARSE 0366 60 118 RTS 039F 60 175 RTS 0367 119 : 03A0 176 ; 0367 120 : CHECK 6850 ACIA 03A0 177 ; END OF INPUTLIN 0367 A902 121 READY LDA #MASK 03A0 178 ; 0369 2CA4C0 122 LOOP3 BIT ACIAC 03A0 179 ; 036C F0FB 123 BEQ LOOP3 180 END END 036E 60 124 RTS 036F 125 ; 036F 126 : END OF OUTLINE ***** END OF ASSEMBLY	035E		114	; FINISH WITH EOL	0399 88	171	EXIT DEY
0363 8DA5C0 117	035E	206703	115	SENDCR JSR READY	039A 98	172	
0366 60	0361	A90D	116	LDA #EOL	039B A002	173	
0367 119 : 03A0 176 ; 0367 120 ; CHECK 6850 ACIA 03A0 177 ; END OF INPUTLING 0367 A902 121 READY LDA #MASK 03A0 178 ; 0369 2CA4C0 122 LOOP3 BIT ACIAC 03A0 179 ; 036C F0FB 123 BEQ LOOP3 180 END END 036E 60 124 RTS 036F 125 ; 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY	0363	8DA 5C0	117	STA ACTAD	039D 9169	174	STA (VARSP),Y
0367	0366	60	118	RTS	039F 60	175	RTS
0367	0367		119	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		176	1
0367 A902 121 READY LDA #MASK 03A0 178; 0369 2CA4C0 122 LOOP3 BIT ACIAC 03A0 179; 036C F0FB 123 BEQ LOOP3 180 END END 036E 60 124 RTS 036F 125; 036F 126; END OF OUTLINE ***** END OF ASSEMBLY	0367					177	: END OF INPUTLINE
0369 2CA4C0 122 LOOP3 BIT ACTAC 03A0 179 ; 036C F0FB 123 BEQ LOOP3 180 END END 036E 60 124 RTS 036F 125 ; 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY							
036C F0FB 123 BEQ LOOP3 180 END END 036E 60 124 RTS 036F 125 ; 036F 126 ; END OF OUTLINE ***** END OF ASSEMBLY							
036E 60 124 RTS 036F 125 ; 036F 126 ; END OF OUTLINE **** END OF ASSEMBLY							
036F 125 : END OF OUTLINE **** END OF ASSEMBLY						100	
036F 126 ; END OF OUTLINE **** END OF ASSEMBLY							
THE DE COLLETE					ARRES END OF	Accr	CORT V
036F 127 :	036F		127		END OF	(1331	YHA ke f
Man and a second a second and a second a second and a second a second and a second a second a second and a second a second a second and a second and a second and a second and							

Nik says he is prepared to tackle enquiries concerning the article, but please enclose an SAE of a sensible size. He is not equipped to discuss Pascal, Z-80, 6809, etc., as he is a 6502-er until the 68000 add-on for the BBC comes along.

Write to:

Nik Kelly B.Sc. AFBIS ing dimmediations, trioning and, tre again

Apple Magazines

by Keith Chamberlain

Several magazines on the market are dedicated to the Apple the best of which is NIBBLE, which is only available from the states. Next comes CALL A.P.P.L.E. which has been obtainable in the UK. and finally WINDPALL.

Other magazines such as PRACTICAL COMPUTING, PERSONAL COMPUTER WORLD, QUESTIONS AND ANSWERS, COMPUTER AND VIDEO GAMES and a host of others sometimes carry interesting articles and programs for the Apple, but should be viewed at your local newsagents before purchase as they may not be of much benefit at times.

At the top of my list is NIBBLE which has an amazing number of articles, reviews and good programs that actually work. The main problem is getting your copy from the states and the price. Also available are NIBBLE EXPRESS Vols 1, 2 and 3 which are splendid value and contain selected articles from all NIBBLES of 1980-81-82 which include all kinds of programs including utilities and games.

Next comes CALL A.P.P.L.E. the american apple user groups magazine which contains hints and tips, programs, reviews and for A.P.P.L.E. members, special offers on software and hardware, although not all of these are available in the UK. CALL A.P.P.L.E. can be received by subscription direct by becoming a member. It has been

available in the UK but the company selling it has just folded up so its future availability is uncertain.

There are also special editions called Call Apple in Depth, of which at the moment there are three:-

- I. All about Applesoft
- 2. All about Pascal
- 3. All about DOS


These are approximately £12 each and the editions I have are 1 and 3, which I have found to be extremely helpful especially number I whose cost was covered by one program alone.

Finally we have WINDFALL which, although it is apple dedicated, has its ups and downs as far as value is concerned, but this apart it does have some quite good hardware and software reviews, interesting articles and the occasional piece of information that makes its purchase worthwhile. This is another magazine that has started to appear in newsagents and may be worth thumbing through before purchase.

A new quarterly magazine called ORCHARD comes on the market in autumn which has exclusive rights from Nibble to market their editorial and software in the U.K. In other words they will be printing Nibble articles and programs. ORCHARD will be available from newsagents.

Barug Telephone

Your BASUG telephone contact is Fran Teo and you can phone her on weekdays and on weekday evenings until 8 p.m. on; St. Albans (1) 2001 4 16 16



OUTSTANDING PRICES FOR PRINTERS AND APPLE II PERIPHERALS

PRINTERS

SMITH-CORONA	rp-1£427
STAR DP510, 80	column, 100 cps£257
STAR DP515, 1:	36 column, 100 cps£369
JUKI 6110 Dai	sywhee1£369

PERIPHERAL CARDS FOR APPLE II



	Disk Drive
í	Colour Card + modulator£36.00
Į.	Language (16K)£39.50
ŀ	80 Column£45.50
	EPROM blower
ŀ	Integer Basic£34.50
Ì.	Printer (Centronics)£38.50
ł	RS 232C£41.50
	Z80 CP/M£46.50
Į	52 Key Ascii encoded keyboard.
ļ	upper/lower case
ř	Clip-on A/C cooling fan
	Centronix printer cable 9.50

All cards fully tested. Money back guarantee.

APPLE II COMPATIBLE DISC DRIVES

Half Height Drive Model LH-1 £167.00 Full Height Drive Model AD-1 £167.00

P&P:under £100 add £3, over £100 NO. CHARGE. Add 15% VAT to all orders. For full details and prices of all computer consumables and printers ring:

021-356 7402 or write to:

ROSCO LTD., Freepost, Birmingham B20 1BR.

Mainframe Interview

The idea of using Apple computers in the field of music isn't a new one. Most of you will have heard of Mountain Computer Music System, Alf boards and even Zapples! It is therefore surprising that there have been very few, if any, successful pop groups that have featured the Apple in any way, Having seen the Show Me Show on BBC I Wcd 14th September, which often features computer items. I have a feeling that this situation may change soon. For those of you who missed it, the programme included a song by a band called Mainframe. This song was accompanied by the usual video mixing effects etc., also by what appeared to be Apple graphics. This would have been of interest anyway, but what caught my attention was that the keyboard player in the group was Herts area Basug regular John Mollov!

To acquire more information on this Apple-ication your intrepid reporter went into the depths of Hemel Hempstead, to the home of the other band member, Murray Munro, After a nice coffee we got down to some questions.

Were the graphics for the TV done by the BBC for you?

John:-"No. From the first of our concerts we have done all our own graphics. We had performed live 14 times before the Show Me Show, so by then we had created graphics worth appearing on the BBC. To be more accurate, we either use our own routines or use commercial software in our own way. Some examples of this are Apple World, Ceemac/Fire Organ and Graforth. We've even used the star routine in Cyber Strike!"

With the musical side of the band to concentrate on, how do you find time to do these routines?

John:-"Actually we have considerable help from Colin Holgate and David Green (both Basug members and regular Herts meeting supporters). Colin does most of the graphics for the shows, including the Show Me one and David helps out if Colin is stuck for ideas, also he is involved in special hardware projects we are working on."

More coffee. During this break Colin displayed some of the graphics used by Mainframe. These included many abstract patterns generated by the Fire Organ program (this, and Ceemac are reviewed by John and Colin elsewhere in this issue), sound to light programs, 3D Mainframe logos, ascending bubbles, Mainframe words Ilying past and many other graphics effects. Some of the sequences appeared to require several hi-res pictures to be stored in memory at once, more than there should be space for.

Colin:-"My original involvement with the band was to help them with some graphics for a video that accompanies the performance of their album Tenants Of The Lattice-Work, We needed to be able to do complex animations, but didn't have the computer speed or film animation facilities that the Tron creator used. An Apple doesn't quite compete with a Cray. This meant that any graphics had to be in real time. Normally this means using simpler graphics, or having 6 months to create arcade speed machine code routines. As we wanted to use 3D effects as well, even machine code wasn't quick enough. Bill Budge's 3D system is quick but doesn't include clipping or perspective, which were vital for our needs. The way round these problems was to have as many complete hi-res pictures in memory as possible and move them into the graphics area in the right order. switching to give using page animation. Unfortunately there is only room for about 4 trames. By using a packing program an average picture could be reduced from the usual 34 sectors to about 6. When the reduced file is loaded and unpacked into the hi-res screen you end up with the original picture. One of our routines shows the Earth, then zooms into a close up of England. These pictures were generated on Bit-Stik, packed, loaded in sequence, and unpacked to give the animation."

The effect is quite good, with slight flicker noticeable. How many frames per second is the animation?

Colin:-"On a normal Apple the unpacking takes about 1/3 of a second, that's the price of saving so much space. Fortunately I have an Accelerator, so the Earth routine

runs at 7.7 frames per second and uses 15 pictures, so it lasts about 2 seconds."

We then adjourned to Murray's bedroom! Seriously. Unlike most of the bedrooms I've seen, this one had four track recording equipment in it. The band do their own recording on their own record label, MC 2 (as in E equals MC squared). I asked Murray if they had used the Apple for generating music at all.

Murray:-"Until the recording of the album, apart from the graphics in our show, we had only used the Apple computer for writing programs that we then put onto our singles. We do use it for storing our fan club names and addresses using Visidex, but that's unlikely to become a Mainframe product. The first single we released had a short Apple text program on it. This was a test really. To see what response we got from computer users, and to make sure that programs could be loaded from normal records. Since we did this two other music people have repeated the idea on their own records. Our second single included four programs on the B side. These were text and sound to light programs for the Apple, BBC, ZX Spectrum and text only for the ZX 81. A lot of our potential listeners have computers other than the Apple, so we try to include as many versions as there is time for. When we commenced the album, we started to use one of the special hardware devices John referred to earlier. This is a percussion machine board that plugs into one of the Apple slots. Dave Green designed it and offered it to us to use on the album. Normally we use a Moog Liberation for our percussion sounds, but when we heard David's board in action the Moog got locked away!"

Murray demonstrated the sounds this board could generate. He said that after 3 finger clicks he would hit various things, and that I should close my eyes and tell him which were real. After the clicks came a tambourine, a snare drum, a clap and a tom tom sound. I could see there wasn't a tom tom in the room, so I confidently said that the tom tom was on the Apple, and possibly the snare drum as well, the others being real. As you may have guessed, not only were all the 'test' sounds from the Apple, the finger clicks were too! Very impressive. I wanted to know more.

Murray:-"There is a good chance that we may produce these boards at a future date, so we're keeping the methods a secret for now."

John:-"The sounds available from the board have changed our percussion sound considerably. lt's like having a cheap Fairlight attached to the Apple."

A Fairlight, they tell me, costs about the same price as 20 Apples.

John:-"Someday we may outgrow the graphics ability of the Apple and go onto more powerful machines, but not until we sell a few albums."

Well, must help them out. I'll be down at the record shop if you need me. John and Colin say they'll still be coming to the Herts meetings, between American tours that

Small Adr

Sony NTSC Colour Set 13" £100 will work on Apple without colour card.

Paul Tilling. Tiets: (10) 7886 \$171(1).

Replay Copy Card and software

£50

Ring Stuart Morley. Office Hours WHIME HOWELL After 6.30 Miles Bellen

QUOTE

"If Apple were selling no Apple IIs and no Lisas they would still be the sixth biggest computer selling company in the world."

Steve Holmes Apple Marketing Manager

More on the 737

by Margaret Wood

Being a relative novice in the world of the byte and having recently had to battle with a newly acquired Centronics 737 printer, I have found the tips gleaned from the back issues of this journal to be invaluable. By a combination of a lot of trial and error and a little inspired guess work, I now have my printer doing things that only a few weeks ago I considered to be quite unattainable. The purpose of this article is to indicate how I solved the problems that I encountered and it includes tips from previous articles, for which I am indebted to the authors.

I have been working with an Apple //e processor but the solutions have been tested on an Apple I Europlus and found to be equally effective with one minor exception which is mentioned below.

My printer is connected through an Apple II Parallel Interface Card and I must say that I found the manual to this product less than helpful for my purpose. Firstly, there was confusion over the correct setting for switch SW6. Centronics 737 was not mentioned as suitable for the OFF position although other Centronics models were. However, the Centronix 737 was on the list, In my ignorance I still do not know if this is a misprint or another model of printer. From my programmed commands, I found it possible to control the printer from either setting. The ON setting was a little simpler and I made more progress with my later problems using this setting so I have opted to keep switch SW6 ON. Hidden deep in the Appendices is the information that CTRL-I,"O" is the code to return display to the screen. I struggled for a long time with CTRL-I;"40N". A tip that I found most useful was to define D\$ as CHR\$(13) + CHR\$(4) and IS as CHR\$(13) + CHR\$(9). This saves errors from omitted RETURNS.

The next problem was to obtain an 80 column program listing, hopefully without extraneous symbols. I tried T Tse's Nice List but it proved totally incompatible with my Centronics 737 and, with my limited knowledge, quite unalterable. All attempts at controlling the printer directly through the keyboard failed dismally. I could not

break through the 40 column barrier and cryptic comments abounded at either end of the listing. The problem was solved by executing the following textfile with the program in memory:

L = 66 - LEN(HS) - LEN(DS)

IF L(1 THEN ? "STRINGS TOO LONG - RE-ENTER" : END

ESS = CHRS(13) + CHRS(27)

DDS = CHRS(13) + CHRS(4)

I\$ = CHR\$(13) : CHR\$(9) : ? DD\$;
"PR#1"; I\$; "80N"; CHR\$(15); ES\$;
CHR\$(20); ES\$; CHR\$(14); H\$;
CHR\$(14); : FOR Z = 1 TO L : ? " ";
: NEXT : ? CHR\$(15); D\$; CHR\$(14);
ES\$; CHR\$(15); ES\$; CHR\$(19) : LIST
: ? I\$; "O"; DD\$: "PR#0" : END

The headings are optional and if required should be entered direct from the keyboard before executing the file. H\$ was designed to be the name of the program and D\$ to be the date but they can be used for any purpose as long as their combined length does not exceed 65 characters. The last line is intentionally long to avoid printing a selection of Is at either end. Although I have not done it, I am sure that the file could be amended and two further variables input to give a partial listing.

A further improvement to my listings has been achieved by the use of (CTRL-O) at the begining of and (CTRL-N) at the end of any important remark. The underlining obtained is far neater than rows of asterisks and the program is unaffected.

Finally, I wanted to use a Word Processing Program and, already having access to Applewriter I and Applewriter II, wished to avoid further outlay if possible. Applewriter I does run on the I/e processor but some of the rubblsh that is displayed on the screen makes it almost impossible to check and amend certain types of text. It was therefore not acceptable to me to use this version with lan Trackman's Go-Between Program. Despite scepticism from some

quarters, I find that Applewriter II works very nicely on a //e processor. The only compromise to be made is acceptance of the fact that it will not recognise my 80 Column Card and so I am stuck with a #0 column screen display, disappointing but not restricting. (Perhaps Father Christmas will have the //e version in his sack!)

Of course my first challenge was to release the 40 column chains. The answer to that was laid before me in this publication so my default constants were amended to contain a Top Line of: /(CTRL-1)132N/. Even that took a while to achieve. There must be no extra spaces, no quotation marks and CTRL-I must be entered directly from the keyboard; no trying to be clever by entering CHR\$(9)!

The next step was to investigate the use of the CTRL-V function. First results were disappointing. I wanted to underline. I could start underlining but it refused to turn off. At this point I hit upon an amendment to the Top Line command that solved the problem, although I have no idea as to why. The addition will work from within the text file but it is more convenient in the Top Line, My Top Line now reads:

/(CTRL-1)132N(CTRL-N)(CTRL-1) (CTRL-N)(CTRL-1)(CTRL-N)/

No less will suffice but at least it can stay as a permanent default.

Acceptance of the remaining control codes through CTRL-V was easy once I had tumbled to the fact that ESC must be entered twice.

Having mastered the keystrokes required, I compiled a Glossary File with easily recallable symbols for definition. The following listing gives the actual keystrokes to enter:

F(CTRL-V)(CTRL-J)(CTRL-V)
{Full Line Feed Forward}

(CTRL-V)(ESC)(ESC)(CTRL-A)(CTRL-V)
{1 Dot Space}

2(CTRL-V)(ESC)(ESC)(CTRL-B)(CTRL-V)
[2 Dot Spaces]

3(CTRL-V)(ESC)(ESC)(CTRL-C)(CTRL-V)
[3 Dot Spaces]

4(CTRL-V)(ESC)(ESC)(CTRL-D)(CTRL-V)
(4 Dot Spaces)

5(CTRL-V)(ESC)(ESC)(CTRL-E)(CTRL-V)
{5 Dot Spaces}

6(CTRL-V)(ESC)(ESC)(CTRL-F)(CTRL-V)
[6 Dot Spaces]

R(CTRL-V)(ESC)(ESC)(CTRL-J)(CTRL-V)
[Full Line Feed Reverse]

E(CTRL-V)(ESC)(ESC)(CTRL-N)(CTRL-V)
[Start Elongated Print]

e(CTRL-V)(ESC)(ESC)(CTRL-O)(CTRL-V)
(Stop Elongated Print)

p(CTRL-V)(ESC)(ESC)(CTRL-Q)(CTRL-V)
{Proportional Print}

n(CTRL-V)(ESC)(ESC)(CTRL-S)(CTRL-V)
[Normal Print]

C(CTRL-V)(ESC)(ESC)(CTRL-T)(CTRL-V)
(Condensed Print)

f(CTRL-V)(ESC)(ESC)(CTRL-V)(CTRL-V)
[Half Line Feed Forward]

r(CTRL-V)(ESC)(ESC)(CTRL-^)(CTRL-V)
[Half Line Feed Reverse]

<(CTRL-V)(CTRL-O)(CTRL-V)
{Start Underline}</pre>

>(CTRL-V)(CTRL-N)(CTRL-V)
{Stop Underline}

b(CTRL-V)(CTRL-H)(CTRL-V)
(Backspace)

Because of the use of the backslash in the command for Half Line Feed Forward, I cannot suggest a method of using this command with an Apple I Europlus unless the glossary file can be compiled on a //e processor.

There is just one disappointment, Although I can switch between proportional and condensed print from within Applewriter, I cannot alternate between these two types and normal print. Of course I can revert to normal by turning the printer off and then on but to switch to the other two styles I have to use the Printer Set Up routine that I have incorporated in the Hello Program on my DOS disks as a pre-boot style selector.

The use of enlarged print is a little tricky. Backspacing works but is not as I expected. I think that it is only a matter

of patience and simple mathematics to reach some formulae for its effective use, I hope to submit a further article covering the justification problems involved in the use of these two functions.

I am not sure if novices should be writing articles but hopefully this one may save a little midnight oil for someone.

Exec Tip

EXEC UTILITIES

by

Martin Rogers

In my previous article, BE AN APPLE EXECUTIVE, I promised you more applications for the EXEC command. Here is a useful patch which will present you with your program listings a page (or Screen) at a time. Just enter the following code into an EXEC tile using your favourite Word Processor or using a program to write the commands to a text file called "PAGE LISTER". Just EXEC PAGE LISTER at any time to install, and subsequent LIST's will pause at the bottom of the screen until you press a key. The facility will remain active in your machine until the next time you re-boot.

CALL-151

300: A9 03 AZ 0B 85 37 86 36 4C EA 03 48 A5 25 C9 17 F0 04 68 4C F0 FD 98 48 8A 48 2C 00 CO 10 FB 2C 10 CO 20 58 FC 68 AA 68 A8 68 4C FO FD 3D0G

HOME:VTAB5:HTAB9:?"Page Lister Installed."; VTAB12::?"All Listings will now display a page at a time until you re-boot the System.": VTAB21:HTAB11:?"AnM.C.R. Utility.":VTAB23: HTAB10:?"Any key to continue." CALL768

Watch this space for more exciting utilities! Even better, write in with any that you have developed which you would like to share with BASUG members.

Education

by Norah Arnold

FOUR NEW BOOKS ON LOGO AND TURTLE GRAPHICS

Three of these books are about Logo and one is a little different in that it deals with turtle-graphics only. I shall discuss that one first and then deal with the Logo books.

PICTURE THIS TOO! subtitled An Introduction to Computer Graphics for Kids of all Ages. Author David Thornburg. Published by Addison-Wesley, 1982. Price £9.00.

This book is fairly large, spirally bound, with an attractive cover. On first opening the book one gets the impression of well presented material, clearly set out and containing many black and illustrations of the computer screen. There are versions of the book for other machines but the version I have used is written for those who have access to an Apple II with the language Super-Pilot, an extended version of Pilot incorporating turtlegraphics.

According to the author the book is aimed at 'kids' of all ages. I think that an intelligent nine year old could cope with working through this book with a bit of help here and there with the vocabulary. Equally well an adult new to Super-Pilot and turtle-graphics would find this a good book to begin with. One thing that children seem to like about the book is its 'chatty' style with a good spattering of Aha! Whoops! Ta-Daal Wow! and other phrases terminating in exclamation marks. I can imagine some older people might find this style a little irksome.

I think that It is fair to say that this book is written in the immediate mode, By this I mean that it follows the pattern of 1. Let's type this. 2. Here is a picture of the screen. 3. This is what happened and why. 4. Now let's proceed by doing this..... throughout the book. This inevitably means that progress through the actual turtle-graphics material is slow but done in a reasonably detailed manner. Very simple drawings of lines and squares are

dealt with in Chapters Four and Five. In Chapter Six you learn to draw a stick figure of a person and not until Chapter Eleven do you learn to draw curves and circles. The last chapter, number twelve, ends with a simple drawing of a flower.

The content of the book does not actually take you very far into the realms of turtle-graphics but over the distance it does take you it holds your hand all the way. So if you are a whiz-kid just starting on Super-Pilot who wants to be doing marvellous lace-like turtle-graphics designs in a matter of hours then this book may not be for you. On the other hand, if you like a lot of help and encouragement and don't mind going slowly and surely through the material then this book would be a good buy. That is, providing you have Super-Pilot which I rather suspect that not many people have.

LEARNING LOGO ON THE APPLE II Authors Anne McDougall, Tony Adams and Pauline Adams. Published by Prentice Hall of Australia, 1982. Price £11.00.

This book is aimed at people who know little of computing but who wish to use Logo. In view of this it starts with an explanation of how to set up the system and get going and then describes how it intends to deal with the differences between the two versions of Logo for the Apple II, that is, M.I.T. Logo (Terrapin and Krell) on one hand and Apple Logo on the other. When program listings or single procedures are given then the two versions are printed side by side, with M.I.T. Logo on the left and Apple Logo on the right. I found this approach far more satisfactory than the differences being only in an Appendix. sub-headings to the chapters help you to find things easily and in general the presentation of the material is good.

Although this book may appeal to some teachers or parents who wish to interest their pupils Óť offspring in Logo programming, no help is given over the approach which should be used in presenting the material to the younger generation. For instance, in describing the 'total turtle trip' theorem, a table is given of the number of degrees necessary to produce triangles, squares, pentagons, hexagons etc. This, however, is precisely the kind of thing that a child should be encouraged to discover through experiment rather than

the list given as a foregone conclusion. One good point is that exercises giving suggestions for further work are given at appropriate points throughout the book.

The book does cover the basics of Logo well enough to enable a newcomer to the language to carry out their own projects turtle-graphics including those using recursion. One chapter deals with the arithmetic one can do with Logo, again in a reasonably simple manner. Some of the most interesting material in the book appears in the last three chapters on list processing.

The authors of this book appear to have had sufficient involvement with Logo on the Apple II to know of some of the little pitfalls and problems which can arise. However, one thing that worries me is that most of the points covered by this book are dealt with equally thoroughly in the Logo manuals for Terrapin and Apple Logo. 1 can say nothing about the Krell manuals as I do not possess them. If you own the Terrapin or Apple manuals then to buy this book would be unnecessary in my opinion. If you are in a group situation where access to manuals is limited then a copy of this book would be extremely useful.

LEARNING WITH LOGO Author Daniel Watt. Published by McGraw-Hill, 1983 Price £ 16.50.

I had been awaiting the publication of this book with interest for some time. Daniel Watt worked with the Logo Group at M.I.T. for five years as an educational researcher and has had a great deal of experience in teaching Logo to adults and children.

It is a large book, approximately 11 x 9 inches and weighing almost two pounds. It has soft covers and is spirally bound. A great deal of thought has gone into the way the material is presented in this book. The book is divided into three parts. Chapters I to 6 are for children between the ages of ten and thirteen to read and work through themselves, although personally I would think that intelligent eight to nine year olds could be included here if they were proficient at reading. Chapters 7 to 9 could be worked through by any child who has satisfactorily completed Part I, who has understood the concepts involved and had time to experiment and practise using them. The rest of the book, Chapters 10 to 14 is meant for youngsters from 13 or 14 upwards or for children younger than this to work through with an adult to give a hand here and there.

Much effort has gone into making the book attractive to children, for instance the trickier concepts are explained with the help of cartoon characters; the turtle himself, the Logo wizard and Logo's helpers who are shown as robots whose tasks are linked to the shape of their heads. I could imagine most children would be grabbing for their crayons and felt-tips to colour the cartoon characters when they take a break from seriously perusing the content of the book.

The left hand margin of the book is used to display cartoon symbols indicating 'powerful important (ie. concepts). 'exploration' sections giving ideas for further experimentation with a concept and finally 'helper's hint' sections which are given in smaller print and are directed at any adult, teacher or parent, who is working with the child.

This book is directed mainly at users of the Terrapin and Krell versions of Logo for the Apple. However, pages 289 to 358 are given over to appendices covering several subjects including using the book with Apple or TI Logo.

I do have several criticisms of this book. First, I found it rather floppy and difficult to handle because of its size, weight and soft covers. A child using it would need to have enough table surface next to the computer to support the book as it is far too heavy and floppy for a child to hold. This raises the question as to whether a slightly less extravagant format with smaller symbols and cartoons would have led to a book which was easier to handle and therefore more pleasant to use - a debatable point. Secondly, although no-one can dispute Daniel Watt's high degree of involvement with Logo over many years, I was disappointed that so much of the content, although presented in a highly original way, echoed material already published by other members of the M.I.T. Logo Group. Thirdly, I was sad that the price will put the book out of reach of many primary school teachers in this country, whose capitation allowances might run to one copy being purchased for reference, but would certainly not allow a reasonable number to be bought for use by the children.

Having said all this, if you want your

children to enjoy becoming proficient at Logo, you could not do better at the moment than to buy this book and enjoy using it together.

LOGO PROGRAMMING Author Peter Ross Published by Addison-Wesley, 1983 Price £7.95.

I had been using my own copy of this book for several weeks before the review copy arrived. It is different from the previous two in that it is 'home grown' and originates from the work of the Logo group in the Department of Artificial Intelligence at the University of Edinburgh. It is also different in that it does not have a picture of a hand placing a disk in a drive. In other words it is not a book for complete beginners to computing and it is not aimed at children. Neither does it cover the same material as the manuals which come with the different versions of Logo. Although Terrapin Logo is used throughout the book. notes are given on other versions where this is necessary. Appendices cover Apple Logo, Research Machines Logo for the 380Z, TI Logo for the T199/4 and 4a, and Radio Shack Logo for the Tandy 32K Color Computer.

The content is presented in a straightforward and scholarly tashion and takes you into Logo at a fairly rapid speed. There are some technical points made and good particularly liked the section on the problems of animation in Chapter 3. Suggestions for further exercises are given at appropriate points within the text and where necessary answers are given in Appendix F.

This book would not be suitable for anyone who just wants a superficial knowledge of Logo in order to play around with the graphics. It seems suitable for anyone who is conversant with their machine, who has some knowledge of other languages and who wishes to be able to program efficiently in Logo. It would probably be a suitable book for teachers in Computing Departments in secondary schools.

Criticisms? Well, it is a bit wordy in places and perhaps there could have been a few more illustrations, but I have found it accurate and a worthwhile buy at the price.

IN CONCLUSION I am still waiting for a book on Logo which is directed at parents and teachers and which shows the numerous ways (continued on page 19)



At last, an easy to read, simple to understand book - written in plain English for British users of MicroPro software. Giving you the full power of:

WordStar MailMerge SpellStar
DataStar SuperSort CalcStar

- EXISTING USERS EVER HAD PROBLEMS? Let Jane Davis' tutorial method be your guide.
- NEW USERS? In Part 1, you will master your operating system, create a tutorial disc and produce merge printed letters and envelopes - all within two days!

The ProStar Training Guide is unique in covering all six MicroPro packages in ONE VOLUME.* * Including New Reportistar



Whether you have ONE MicroPro package or SIX - this is the guide for you

SEND THIS COUPON TODAY

To: JANE DAVIS PUBLICATIONS 38 Ethelden Road, London W12 7BG

postage and packing.

Allow 3 weeks for delivery. Make cheques payable to: Jane Davis Publications

Please send me further information

NAME

ADDRESS

DEALER ENQUIRIES WELCOMED

Book Review

Title : ProStar Training Guide. Author: Jane Davis Price: £29.00 inc p&p. Published by JD Publications, 38 Ethelden Road, London W12 7BG.

A Review by Jim Panks.

Manuals on software are either good, bad or indifferent, Jane Davis has decided to sit down and make the MicroPro range of software much easier to understand by writing an easy to understand manual. The manual contains all you need to know on the following packages : Wordstar, Spellstar, Datastar, Calcstar, Mailmerge and Supersort.

The manual adopts the tutorial form of learning, with all steps being explained down to the last detail, no over technical words have been used and the book is aimed directly at the user who wishes to get on and use his software. The ability to link the various packages has been explained and although this may sound daunting, manual does the job in an excellent fashion.

The first chapter contains the general CP/M copying and setup data to enable you to go on to chapter two where making back-ups, tutorial disks and the printing of files are discussed.

The next chapter is devoted to Wordstar and through all the basic commands explaining how to enter data, store files and print documents. I found the style very pleasing, by the end of the chapter I was using Wordstar with confidence.

The following chapters in section one explain the DataStar and Mallmerge packages. The basics are covered well and help you to understand the ways in which you can put the packages to use.

Section two covers all the packages and takes you in depth through all the more The interlinking advanced features. packages is explained in great detail, but still does not overwhelm the user. Many useful tips are given, and from this a good working relationship with the software can be obtained.

There is a glossary of terms to round off this excellent manual.

The price is very reasonable and is value for money. The manual comes in A4 size and the 200 pages are placed in a strong ring binder. The manual has large type with bold letters being used to emphasise user input; each page has been laid out so that the page is uncluttered and easy to read; the layout has been designed with thought. There is a very comprehensive index.

This book is ideal as a reference manual after the tutorial has been completed. It is anticipated that all the packages could be learnt in three weeks, this time scale assumes that you split the lessons up into two or three hour stints. I think that this is a reasonable time scale. This will probably suit the user in an office environment where a chapter a day in between other work would not interfere with normal routine.

I would recommend this manual to any user of Micropro Software, the author has devoted her wide knowledge of this software to produce one of the best software manuals I have seen. Maybe the software publishers will take heed and make manuals to this standard.

Lonely Apples

The following member would like to contact others in his area:-

J. Howard Wright

Tel: Alloa Interior

Education cont.

in which Logo projects can be linked with the rest of the school curriculum. After all, why program in Logo once you know how unless the programs can be shown to have a usefulness in the general process of education.

Fast Circles

by Ray Harris

Do you tire of plotting circles so slowly that you can count the points as they appear?

Here is a small set of programs that will at least keep you awake, although I don't guarantee that they are the fastest possible. Circles are plotted at the rate of 10 in about 3 seconds. I am grateful to Derek Ball of Leicester University School of Education for the basic idea, suggested for the RML 380Z.


The centre of a circle may be anywhere within the screen boundary, and the radius from 1 up to well over half the screen width. I wrote the programs for the ITT 2020, which involves some scaling to create a true circle, as does my printer. You may enter your own required scale factor in the 'Circle Creator' program. To adapt the code for the Apple requires only two changes to the hex listing, both noted. Relocating the code will require just one change, in line 178.

You should enter the hex from \$94E0 to \$95D5 and BSAVE CIRCLE.B,A\$94E0,L\$F6. Next RUN CIRCLE SETUP, which will write data from \$9400 to \$949F (the coordinates of points on one eighth of a circle of radius 128 units) and then save the whole memory from \$9400 to \$95FF as 'CIRCLE.M/C'. Only 'CIRCLE CREATOR' is required in future for producing circles, together with the new hex program.

'CIRCLE CREATOR' has no built in error checking, because you are likely to adapt it for your own purposes. However, there is nothing wrong with drawing a circle which goes partly off the screen; that part will not be plotted.

In drawing each circle, with the flag holding 0, the sections 1 to 4 are plotted, each point in 1 being followed by its images in sections 2, 3 and 4. When the flag holds 1 sections 5 to 8 are plotted similarly. The two plotting halves correspond effectively to different radii in the X and Y coordinate directions, so changing SC will produce ellipses. See what you can do with it!

_			1	minne	*****	*******	******	
			2					
			3		CI	RCLE.S		
	10 REM ***********************************		4				1	
	20 REM . CIRCLE SETUP .		5	*	RAY	HARRIS		
	30 REM + RAY HARRIS *		h					
	40 REM ************		7			17/83		
	50 HIMEM: 3780B		8			01025		
	60 BASE = 148 * 256		9	*********	111111	*********	*******	
	70 AD = BASE		10	******				
	80 FOR I = 0 TO 79		11	FLAG		\$06	Hi ag for t	salvac
	90 X = COS(I / 100) +128:Y = S1N(I / 100) +128		12	1000	-	\$19	11144 101 1	181784
	100 X = INT (X + 0.5):Y = INT (Y + 0.5)		-	IPRODUCT		51R		
	110 POKE AD, X: POKE AD + 1, Y		13					
	120 AD = AD + 2		14	XOFFSET		\$1D		
	130 NEXT 1		15	TEMPI	6	\$1F		
	140 Ds = CHR\$ (4)		16	RISTORE		\$D5		
	150 PRINT D4*BLOAD CIRCLE.B*		17	RSTORE		\$ D7		
	130 PRINT DE BLUHD CIRCLE.S		18	YCENTRE	=	SE3		
	160 PRINT DS"BSAVE CIRCLE.M/C, A\$9400, L\$200"		19	BASE	3	\$EB		
			20	XCENTRE	=	\$ED		
			21	YSTORE	=	SEF		
			22	GROODY	*	\$F9		
	10 REM ***********************************		23	YPRODUCT	=	\$FB		
	20 REM • CIRCLE CREATOR •		24	YOFFSET		SFD		
	30 REM • RAY HARRIS •		25			SFF		
	40 REM		26		=	\$F498		
	50 HIMEM: 37888		27	1				
	40 PRINT CHRS (4) BLOAD CIRCLE. M/C"		28		19 4F4	98 for 111	and \$F457 f	or APPLE
	70 POKE 235,0: POKE 236,148; REM BASE IN \$EB.EC		29		10 41 9	10 101 111	une 71 141 1	
	80 CIRCLE = 38112:FLAG = 6		30		200	\$94E0		
	90 TEXT : HOME	94E0: 48	21		PHA	2 4 5 3 4		
	100 SC = 96 / 79; REM SCALING FACTOR FOR ITT & MY		32			£\$00		
	HONITOR	94E1: A0 00		POTE				
	110 REM FOR APPLE SC IS CLOSE TO 1: CHANGE SC	94E3; B1 EB	33	GETX		(BASE) ,Y		
	FOR SOME PRINTERS	94E5: 85 19	34			YCOORD		
	120 INPUT "WHAT POINT IS THE CENTRE?(Y,Y) ";X,Y	94E7: A5 D5	35			RISTORE		
	130 POKE 227, Y: POKE 237, X - 256 + 1MT (X /	94E9: 85 1F	36			TEMP1		
	256): POKE 238, INT #X / 256)	94EB: AS D7	37			RSTORE		
	THE RESERVE AND A SECOND STATE OF THE SECOND S	94ED: 85 FF	38		-	TEMPO		
	140 PRINT	94EF: A9 00	39		LDA	£\$00		
	150 PRINT "WHAT IS THE RADIUS? ((* INT (255 /	94F1: 85 1A	40		STA	1+08803X		
	5C) 1 ";: INPUT "";R	94F3: 85 LB	41		STA	XPRODUCT		
	180 HGR2 : HCOLOR= 3:R1 = R * SC	94F5: 85 1C	42		STA	IPRODUCT+	1	
	170 POKE 213,R1: POKE 215,R	94F7: 85 1D	43		STA	XOFFSET		
	180 POKE FLAG, 0: CALL CIRCLE: REM LEFT & RIGHT	94F9: 85 1E	44		STA	XOFFSET+1		
	190 POKE 213,R: POKE 215,RE	94FB: 85 FB	45		STA	YPRODUCT		
	200 POKE FLAG, 1: CALL CIRCLE: REM TOP & BOTTOM	94FD: 85 FC	46			YPRODUCT4	1	
	210 REM TO RUN AGAIN TYPE 'RUN 80'	94FF: 85 FD	47		7-00	YOFFSET		
		9501: A2 08	48			68083	ito count	shifts
		9503: 46 IF	49			TEMP1	150 5000	10000
	9 5	10001 10 11	50		N. William	AMILIA .		
	8 5		51		ate Y	-coord+R1/	128	
			52					
	^	72.0.00	34		955	4.000		



BCC YLEFT 9505: 90 OE 53 CLC 9507: 18 54 55 LDA XCOORD 9508: A5 19 ADE XPRODUCT 950A: 65 18 58 STA APROBUCT 950C: 85 1B 57 950E: A5 1A 58 LDA XCOORD+1 59 ADE IPROBUCT+1 9510: 65 1C STA XPRODUCT+1 9512: 85 10 50 9514: 18 CLC 61 9515: 06 19 62 ILEFT ASL XCOORD ROL XCOORD+1 9517: 26 1A 63 DEX 9519: CA 64 MULTRI 951A: DO E7 85 BNE

-		_								_	_	_				_		
	951C: 06		66		ASL	MPRODUCT				957E:	PB 7	44	129		CMP	£600		
	951E: 26		67		RUL	XPRODUCT+1				95801			130		50.0		iy coord	191
	9520: A5	10	68		LDA	XPRODUCT+1				9582:			2.74			HPLOT	11 - 2001 07	
				*		200.000		00-000		9585:		10 1		PLOT2	ELE	IN CO.		
					high	byte to eff	ect th	B 01V151		9586:		en	133	1 2012	4.9 (XCENTRE		
	Time to		71							95881			134			XOFFSET		
	9522: 85		72			MOFFSET				958A:		110	135		TAX	4011.021		
	9524: CB		73		INY	101001 11	Sec. 11			9588:		10	136			XOFFSET+1		
	9525: 81		74	BETY		The state of the s	ido th	e same f	or Y	958D:			137			ACENTRE+1		
	9527: 85		75		-	ACCOURD				958F:			138		TAY	Warming, T		
	9529: A9		76			£\$00				9590:			139		SEC			
	9528: 85		77		797	YCODRD+1				9591:		F7	140			VCENTRE		
	952D: A2		78			1408				9593:			141			YOFFSET		
	952F: 46		79	MULTB		TEMPO				9595:			142			PLOT3	: 400	
	9531: 90	0E	80		338	YLEFT										HPLOT	1110	
	9533: 18		1.0		CLC					777787		48 F	4 143	DIOTT	SEC	W. LUI		
	9534: A5	F9	82		LDA					959A:		CB		PL013		XCENTRE		
	9536: 65	FB.	83		ADE	YPRODUCT				9598:			145					
	9538: 85	FB	84		STA	YPRODUCT				9590:		19	146			XOFFSET		
	953A: AS	FA	85		LDA	ACODSD+T				959F:			147		TAX	VPENTOC: I		
	953C: 65	FC	59		ADC	YPRODUCT+1				95A0:			148			XCENTRE+1		
	953E: 85	FC	87		STA	YPRODUCT+1				95A7:			149			XOFFSET+1	1770	
	9540: 18		88		CLC					95A4:		24	150		BMI	NEXT	;1(0	
	9541: 06	F9	89	YLEFT	ASL	YCOORD				95A6:			151		TAY			
	9543: 26	FA	90		ROL	YCOORD+1				95A7:			152		CLC	MACHINE		
	9545: CA	1	91		DEX					95AB:			153			YCENTRE		
	9546: DO	E7	92		BNE	MULTR				95AA:			154		ADC	YOFFSET	. WINEE	
	9548: 06	FB	93		ASL	YPRODUCT				95AC:			155		BCS	PLOT4	; 1) 255	
	954A: 26	FC	94		ROL	YPRODUCT+1				95AE			156		CHP	0323		
	954C: A5	FC	95		LDA	YPRODUCT+1				9580:			157		BCS		(Y)191	
	954E: 85	FD	96		STA	YOFFSET						98 F	4 158		JSR	HPLOT		
	9550: B4	4 EF	97		STY	YSTORE				9585				PLOT4	SEC			
	9552: AS	5 06	98		LDA	FLAB				9586		4.5	160			ICENTRE		
	9554: FO	30 0	99		BED	PLUI1				9588		10	161		SBC	XOFFSET		
	9556: AS	5 10	100		LDA	XOFFSET				95BA			162		TAX	Cardinal State Co.		
	9558: Al	6 FD	101		LDX	YOFFSET				95BB			163			ICENTRE+1		
	955A: 85	SFD	102		STA	YOFFSET				95BD		1E	164		SBC	XOFFSET+1		
	955C: 86	6 10	103		STX	XOFFSET				95BF			165		TAY			
	955E: A	9.00	104		LDA	£\$00				9500			166		SEC			
	9540: B	5 1E	105		STA	XOFFSET+1				9501		25.7	167		LDA	YICENTRE		
			106							9503			168			YOFFSET	2012	
			107	*HPLOT	needs	I-coordinat	e in r	eg.Y,Y		9505			169		BCC	NEXT	;Y(0	
			108	Fand Y-	coord	inate in reg	.A						F4 170			HPLOT		
			109							95CA		FF		NEXT		YSTORE		
	9582: 1	8	110	PLOT1	CLC					95CC	5.755		172		INY	****		
	9563: A	SED	111		LBA	XCENTRE.				9500	: C0	AQ.	173		CPY	CA42		
	9585: 6	5 10	112		ADC	YOFFSET							174		1.	150	27.7	
	9567: A	A	113		TAX								175		oints,	bytes per	point	
	9568: A	5 18	114		LDA	XOFFSET+1				272.00	- 22		176		1.07	-		
	956A: 6	5 EE	115		ADE	ICENTRE+1					: B0		177			END		
	956C: F	0 08	116		BEO	XOK	\$1-c0	pord (25	5				94 178			GETX		
	956E: C	9 02	117		CHP	£902					: 48		179		PLA			
	9570: B	0 28	118		BCS	PL013	(1)5	11		9505	1 60		180		RTS			
	9572; E	0 68	119		CPX	£\$68												
			120							- V								
			121	84411#	for I	11, £\$18 for	APPL	E).			d as	seab	14					
			122							24	7.53							
	9574: B	80 24	123		BCS	PLOTS	;173	59 or 27	9	246	byte	5						
	9576: A		124		TAY													
	9577: 1		125		CLE					Erre	115;	0						
	9578: A		126		LDA	Company and the												
	957A: 6	5 FD	127		ADD													
	957C; E	90 07	128	E	BCS	PLOT2	54 C	oord>255										

Permanent & Temporary Strings

IN BASIC ------- OR

HOW TO AVOID GARBAGE COLLECTION

by Richard Teed

Garbage collection is something that seldom bothers a user of BASIC: this is because memory generally takes a lot of time to become exhausted, but when it does and a garbage collection is invoked then the computer may hang-up for about five minutes and I believe the theoretical limit is somewhere in the region of four hours!

If one thinks about it, it is possible to extract enough information from a program to tell BASIC when and where to garbage collect so that a full scale garbage collection is not necessary. The problem is that no facilities exist at a high level to make this possible.

Programs that use strings fall into two groups when creating strings: the first is constantly creating temporary strings as in copying one file to another, and the second has a number of permanent strings from which temporary strings or further permanent strings are created.

Let us examine how to avoid garbage collection on the two classes of strings, but first here is a memory map of BASIC's variable space to make the explanation easier:

(HIMEM) ---- start of string storage 1 strings build down from (HIMEM)

bottom of string storage +----top of array storage !arrays! +----+bottom of array storage Isimple! Ivaria-! ibles ! +----+start of simple variables

(LOMEM)

What causes a garbage collection is when there are so many strings that they have come down from HIMEM and are about to over-write the array section of memory, the interpreter then sees which strings can no longer be accessed and removes them moving valid strings up to take their place.

Consider the following program and suppose that "A\$" and "B\$" are to be permanent (by permanent I mean available to the program throughout its execution), while the value assigned to "C\$" is temporary; that is it is only valid within the subroutine after which its value may be lost:-

100 AS="ONE" : BS="TWO" : CS=AS+BS : GOSUB 1000 : C\$=B\$+A\$: GOSUB 1000 : CS=AS+AS : GOSUB 1000 : END

1000 PRINT CS : RETURN

first statements The TWO produce the following strings in memory:-

1 E 1 1 N 1 101 10! 1 W 1 1 T I

After the third statement the memory looks like this:-

+---+ HIMEM ! E ! IN I STRING I 101 101 1 W 1 STRING 2 ! T ! ! T ! STRING 3 10

After the fifth statement however things look like this:-

! E ! ! N ! STRING 1 1 0 1 101 ! W ! STRING 2 1 T 1 10! I T I STRING 3 1 E 1 1 N ! 101 1 E I ! N ! 1 O ! STRING 4 101 1 W 1 IT +---+

STRING 3 will no longer be accessable and would be cleared by a garbage collection.

In order to make string "A\$" and "B\$" permanent and string "C\$" temporary a little code must be added to the subroutine and just after all permanent strings have been created.

What needs to be known is the memory location at which the permanent strings stop and this is given in locations \$6F and \$70 (111 and 112). Now each time before exiting from the subroutine (any temporary strings having being finished with) we must put the bottom of string storage back to the bottom of the permanent strings so that the next temporary string overwrites the last, Here then is the complete program:-

100 A\$="ONE" : B\$="TWO" : PL=PEEK(111) : PH=PEEK(112)

110 C\$=A\$+B\$: GOSUB 1000 : C\$=B\$+A\$: GOSUB 1000 : C\$=A\$+A\$: GOSUB 1000 : END

1000 PRINT C\$: POKE 111,PL : POKE 112,PH : RETURN

The constant re-setting of the bottom of string storage means that it will never reach the top of array storage which would cause a garbage collection.

You can of course update the number of permanent strings simply be PEEKing location 111 and 112 just after the new permanent strings have been made.

Modifying BASIC's pointers like this can be dangerous if you are not careful, but basically the only thing that you should not do is to produce a new string from temporary strings that have just been released by re-setting location 111 and 112, because the new string will be created over the top of the strings that are to comprise it resulting in corruption.

Software Library

I have not received one program for inclusion in the software library since the last magazine in August. I would hope that this is due to holidays etc.

I would ask anyone with material that they think may help other people or would be suitable for the software library, especially Pascal, CP/M or programs for the younger user (Christmas is fast approaching), to send it in as soon as possible so that I can realease some more disks into the library. It's all up to you!

I will be writing to all those that have helped in the past to see if they are still willing to do the same work in the future. There is much work that needs to be done in respect of updating the software library to 3.3, DOS.

Our new Special Software is ready with Business Basic by Richard Teed, GR Pad by Mike Siggins and four programs by Ian Trackman, These are really good value and come complete with a manual. So send your orders in. The programs cost £11.50 each.

Last but not least, we are still looking for good quality program material for our Special Software Library. If you think that you have anything, please contact me for details of the standards we expect. Remember we pay for these.

LOOK! ... FOR ALL YOUR



CONTACT THE FRIENDLY

📸 All items fully guaranteed for one year 🐞 Immediate delivery 💢 Free postage and packing



DIGITEK COLOURCARD

This amazing card gives high quality colour and includes a wide band modulator, simply plug in your TV or Pal monitor £79,00 +



STROBE GRAPHICS PLOTTER

Create superb hardcopy graphics directly from your Apple at a fraction of the cost of most other systems. A4 size or transparencies £545.00 + VAT



THE BIT STIK GRAPHICS SYSTEM

large smooth tracking hemisphere with adjustable back pressure and probably the most powerful Microcomputer desprice software available 1245 - VAT

BUSINESS SOFTWARE	NET	INC. VAT	Zerelax (40/80 & rinc torm retres)	139 00	159.55
Access	162.00		PRINTERS		
Business Foresasting Model (Riegs			Eggon RX 80 (100 cgs tractor feet)	275 00	318.25
Vaica(c)	59 00	79 35	Forest FX BC (160 cas & proc. seasons)	309 00	459.85
Calcettat (CP/M) (BD column spread sheet)	£9.00	79.35	Frem MX100FI=3	449 00	518.36
põese II (CP/M)	375 00	373.75	Mannemann Tally MT120 L (160 cpe)		803.76
Data Star (CP(M) (gowarful data mrtry)	122 00	140.30	Strolbe Graphycs Plorrar		626.75
Data Perfect	67 00	77.05	Sweet P Pintter	585.00	
D.B. Master (version 3 UZ)		135.85	Nec 8023 (100 cas & prop specing)	339.00	300.05
	62.00	71.30	FECT 500-25 (25 cps daisy whitel)	599 00	888.85
D.B. Master utilities (links with visit) Desk Top Plan II	89 10	10735	The Starwings F1:0-40cps	1099,00	1203.85
Dutil files dBase III	65 00	74.75	PRINTER INTERFACE CARDS		
Graphmagic (bar graphs, pie charts, etc.)	53.00	6/.85	Anstocard Parallel	69 00	79.35
Mathematic	59.00	67.55	Arietocard Sarial	75.00	26.25
Msort 80 (stand allone CP/M sort)	175.00	143 75	Asymch Serial (Face (7 F10A)	113.00	135 A5
Multigian Microsofts superior	12300	14212	Rutherhoand	99 00	113 85
spredeheet	155.00	17825	CPS Multifunction Card (line chisck)	139 00	150.85
Omnes (also for liv)	195 00	22425	Digital Printmatian IBASIC/CFM/FASCALI	69.00	79 35
PFS Filing system (laisn for the)	56.00	78.20	Grapolei + (Epsin/Anadex Cent/Nec)	98 00	117 70
PFS Graph (also for fle)	56.00	78.20	IPB-16K (serial/granalle) card & buffer)	129.00	148.35
PFS Report (Also For He)	53 00	80.95	MBP 15K (Egaph 15A butter)	96 00	110.40
Darck: Code (for aBase (I)	189.00				110,40
Outck fife (18 goly)	80 00	69 00	80 COLUMN CARDS & ACCESSORIES		
Superson (CP/M)	99.00	113.86	Softweeth Her Videx Videoterms	24.95	
The General menager (ver 2.0)	135.00	15525	I) Term line shift med & fest retitori	177.00	146 05
the Last line (programme generator)	185 00	21275	Ulmateum Inew Videx card)	285.00	
Arsaform (form generator in Pascal)	152.00	2-20 80	Videx Enhancer II	93.00	
CONTRACT	122 00	140 30	Viden Inyerse Eprism	18.45	21.22
Visi - (visitale remolification)	1945	72.37	Video Uniting Drac limit form edition year	27.00	
Visicalic utilities	34 00	39.10	Videx Videaterm	175.00	
Visidex	135 80	15575	Vancale probact diac (80 yes with inter)	37.00	16.80
Visible	135.00	165.25	Valiet 60 fiers sattement & myerse	185 00	212.75
Visiplet	135 00	155.25	MONITORS COLDUR CARIOS		
Visitiend/stat	155 00	178.25	The state of the s	70.00	
WORD PROCESSING			Digiter Colour Care	79.00	
Applewriter lie	115 DO:	1 32 75	DM S RGB Celeur Card	88.00	92.00
Applewriter II	83.00	97.75	Kaga 17' Green Scieen	105.00	120.75
Executive Secretary	14900	17135	Mremminae colour monitor	275.00	
Executive Spatier	49'00	56.35	Microsoftec carbon clarif (user year) school 72" Green school	35-00	40.25
Forman 60	1.95 00	22425		88.00	102.35
List Handler (Marler & Frim Lefter)	69.00	79.35	GRAPHIC UTILITIES & MUSIC	10.00	12.00
Pia Writer (40.90 columns)	87.00	1.00 05	Arcade Machine (game designer)	745.00	46.30 781.75
Sensible Speller (multi-version)	55.00	79 35	Bit Sats (Roberson)	65 DO	74 75
Screenwriter II (24) and would		100	Complete Disprice System (Rengant) General II	183 00	717 35
BO SM SAID.	15 00	85.76	L. P. Draw J. 3. Lens elden graphus artifyl.	32.00	36.80
Super Text 40 EU	V14.00	13110			
Word Hander (Zoon not led 80 out york)	99.00	11285	Graduativity and 3D profession groups:	145 00	261.75
Wurdnier (CP/M)	220.00	75300		46.00	57.90

ROSETTA

Rosetta is a utility that allows the transfer of Pascal files to Applesoft DOS and vice-versa it also allows the writing of Applesoft or assembly language programs using the Pascal editor. RRP £35 + VAT.

... SOLE EUROPEAN DISTRIBUTOR FOR THE MOST VERSATILE BO COLUMN

- # Character dot matrix is 9 x 11 which provides three lines of dots for full descenders on lower case letters. The full ASCII set of 128 characters is provided
- . Strift key does what you would expect it to do and also has a shift look facility and a visual LED shiftleck. indication.
- . Character set also includes twelve additional keys not normally available on the Apple keyboard
- This card includes a built in softswitch i.e. no cable changes necessary when switching between 40/80 columns and graphics
- The built in communications software dover gives your Apple the ability to be used as a true interactive intelligent terminal to mainframe computers or communications facilities. Fully compatible with CCS serial cards and Apple communication cards etc.
- * The Vision 80 typeface is of an attractive appearance and is highly legible due to its large 9 x 11 character font

VISION-80



Price £185 plus VAT

AVAILABLE DIRECT FROM



PACE OR FROM YOUR LOCAL APPLE DEALER

CESSORIES

SPECIALISTS

within UK





0274 729306

Graphics Magician (Panguin)	39.00	44.85	
Graphic package Sublopic (30 pack)	74.75	05.90	
Higher Text II I many drff Jents)	75.45	29.27	
	232 00	£324.00	
Pastal Ammation	41 00	47 15	
Pilot Animation toofs	41.00	47.15	
Special Effects (Peniguin)	27.00	31.05	
The Artist	55.00	63.25	
Versawriter (graph = dignizer)	179.00	205.85	
Zoom Grafix (similar to Bit Stick zoom)	25.00	28.75	
Audex	23.95	27.54	
Frha 18 (speech syn thesizer)	18.95	189.76	
Electric Ques (creature 2 part music)	21 00	24.15	
Forte	15.95	88.75	
SAM (software automatic mouth)	75.00	86.25	
Zepplei Sourid Effectis & Music Board	58.00	64.40	
INTERTIFE	29.50	44.4	
Aplus (Appleant: structure) Basic (18.95	21.79	
Applequant (graviden software pretection)	185 00	21275	
Apple Mechanic (Bargle Brothers)	25.00	28.75	
Assembly land Day (8502, 280, 8080)	75.00	86.25	
Bag of Tricks	24.95	26.69	
BEST (Enhanced Softwere Tool)	73.95	27.54	
Build Using (provides arint using creed)	23.95	27.54	
Copy III Plus	35.00	4025	
Dist Diector (CP/M disc recevery)	88.00		
Dist Library (incl CP/M & Pascal) DOS 3.3 Tool Kit	34.95	40.19	
Dot Boat Imidelys Dos Commander	15 00	29.75	
Ten Soft (powerful macre line editor)	19.95	22.02	
Fast DDS	1945	22.37	
Global Program Line Editor Isupports Bücnii	35.50	40 83	
Image Printer Epson (Revible hirter dump)	32.00	36.85	
List Master (inc. smart renumbering)	23 95	27 54	
Locksmith & 1 (bit copie) for most drece!	81.00	70.15	
Merlin Micro Assembler	42.00	48.30	
Marich A Bug	37.00	38.80	
Printographer	25.95	33.28	
Speed Star (1200 lines per min)	75.00	B8 25	
Structured Sesic (U Micro) Super Disc Copy (II		610350	
Tate Compiler thandles vi large geograma?	75 DD	28.75	
The Bug (Assembly surrayage debugger)	35.00	120.75	
The Inspector Inseds 18K ed!	35 00	40.75	
The Reutine Mechine (mech larry routines)	45 00	51.75	
SYSTEM EXPANSION	-5.60	31.10	
16X Rampard Digitals	75 00	86.25	
71.7	0.00	44.53	

15X Ramcard (Intelligence Research)	55.00	63.25
32K Rampard Saronn	135.00	155 75
178K Ramcard Saturn	29900	343.85
28K Ramus card	225 80	316.25
Accelerator II	265.00	
Cool stack (holds 2 draws monitor fan DOS upgrade hit (3,2 to 3,3)	85.00	74.75
E-2 Feet (game socket extender)	36 00 17 00	
£ 2 Part II (2 pame sprival extenders)	22.00	19.55 25.30
Eprom Card (holds D)	57 00	55 50
Hawk 34 Way Switch wa card	£49.00	E56 35
Hawk IEEE 488 zard	C189.00	
Cower case adapter W/shift (rev 7 =)	34.00	39.10
Part rile on tan	46.00	52.90
The Mill 5800 with Pascal speed up	189.00	217.35
Tena Kot	55.00	63.75
VC Expand/RO (up to 145K Visicals &		
BQ (all)	55.00	74.75
VC expand Ramas Libarte 138X visi in		
20 sac)	40.00	46.00
Videx Function Strip (reg Entrancer III 280 rand U micro (card only)	49 00	58.35
280 sare Microsoft (New Softward)	93.00	95.45
289 Ears Microson (New SoftLand)	199.00	228 85
LANGUAGES		
Apple Logo	122.00	140.30
Apple Pastal	142.00	163 30
Apple Pilot	90.00	92.00
Apple Super Post	123.00	148.35
Codor Bill (LP/M) Forth (Metacraft)	399.00	
Forth III (Integer arriy)	75,00	
Fedram 80 (CP/M)	45.00 112.00	
Terrapin Logo	95.00	
Transferti (ful) hearing point Forth	15.00	105 25 86.25
	60.00	80.20
MISCELLANEOUS HEMS	TELES.	
Disc Drive (Fully Apple Compatible)	198.00	228,85
One Drive Controller Card	54 00	87.10
Disc Hand Cleaning Kit (60 diecs & fluid) Disc tray (40 diecs & lockable)	19.95	22 94
Eurom Prog (Name)	93.00	20.07
Fames Paddles	25 00	106 95 28 78
Poysin & (Self Centerma)	26.00	4370
Master Uregnostic Disc	48 00	55 20
Master Dieg Box	250	2.86
Snepshot II	33.03	106.95
Ivarry Tuter II	1850	18.78
Wadesh 5.25 Disks Face of 10	17.85	20.64
Wildrand I permits aprowale backup:	93.00	106.95



IPB-16K SERIAL/PARALLEL

INTERFACE & BUFFER
Now you need only one interface card to support both your dalsywheel and dot matrix printers plus the benefits of a 16K puffer to speed things along f 129 + VAT



12" KAGA MONITOR

Features 24 M/Hz bandwidth, giving a very clear display, and contained in a neat Apple compatible case. Green screen £105 + VAT

MICROVITEC 14" COLOUR MONITOR



Besides offering a crystal clear display in aither text hi-res or low-res modes it also includes the following features (6 text colours bight colours 80 colorni cant empatibility. A superb colour munitor for 275.00 + VAT

80 COL VC EXPAND

Pre-boot utility which gives 136K memory with Visicate and 80 columns when using 128K RAM cards with your Vision 80 A P D £39 - VAT

80 COL APPLEWRITER II

Pre-poot utility giving a tremittion display with Applewriter II for the Vision 80 or Screenmaster 80 – the resultant display is BRP £18 - VAT

CARD AVAILABLE

- * It supports all Applesoft commands including the text Window is Home Text GR HGR HGR 2 Tab atc. It has inverse and normal display is Highlight and Lowlight in CP/M and Pascal
- * It is possible to change the cursor character to either a block cursor or an underscore cursor. The speed of pursor blink can be affered and it is also possible to re define the character set with your pyor personalised font
- . The hard comes complete with demonstration/utilities that and is simple to install it also includes a comprehensive users monual
- Totally compatible with Apple plus, and Apple I/e. It works with Pascal and CP/M and some of the many. software packages it supports are Wordstar 3.0 Applewriter II Letter Perfect, Format 80, Zargas. Executive Secretary, Magic Window Visicalic and Multiplan (CP/M or DOS)
- The Vision 80 can accommodate two character sets a normal and an alternative and it is possible to produce your own alternative character set and roggle between the two

PACE	so	FTWA	ARE SUPPL	IES
92	New	Cross	Street, West	Bowling,

Net	VAT	TOTAL
-		
-		
-	_	
-		-
	Net	

enclose my	cheque	made	payable	ta	PACE	SOFTWARE
SUPPLIES						
Marne						

Address Town County Pastcode Tel No

Communications Update

by Q. REIDFORD

Following articles in the previous two issues of 'HARDCORE' and with the knowledge of two months use of 'MICRONET' I feel that it is time to put my experiences to BASUG members and poll their reactions.

As I see it there are two roads that we as a group can go down;

A) Micronet, via Prestel

B) Bulletin boards and data exchange similar to 'The Source'

A. PRESTEL (Micronet)

This system uses a Modem linked to the Apple via an R\$232 interface to recieve data at 1250 Baud and transmit at 75 Baud. The initial cost of the HARDWARE is £75.00 (special offer to BASUG) plus Prestel fee of £5.00 per quarter plus the Micronet fee.

The Modem for the Apple will be a direct connect version with a switchable Baud rate of either 1250/75 OR 1200/1200, however the 1200/1200 baud rate is HALF-DUPLEX i.e. if two people are communicating then one must agree to be the sender and the other the recipient. This protocol is set by the use of a switch on the modem, software switching will come, but I am unsure whether it can be envoked without disconnecting.

The most important aspect however has got to be the content, the information to be gleaned or exchanged. Prestel has an extremely good service called 'Viewfax' which has Micro-news, software, and gossip. It is well laid out and interesting, and although it is not Apple specific, this 'magazine' could be emulated to a great extent by BASUG on our own pages.

Software that is available is either free or relatively cheap (BBC), however I have found that a lot of the programs are poor quality (free ones!!) and can take a long time to down-load, particularly if the built-in checksums don't and the page in question has to be taken down a second or third time -

however that is all part of the initial fun of it!!

Letters which are sent in to the magazine are put up on a 'bulletin board' as are the answers, but this interaction is only as good as the management of the magazine.

Information on club events and meetings are available as are dates for computer shows etc. The gossip section of Viewfax, rejoicing under the name 'Micrognome', is both interesting and fairly uncompromising.

However there are several problems that I feel members should be aware of and depending on their requirements, consider carefully before parting with their cash.

- I. Telephone costs can become very high, particularly if your nearest Prestel computer is not a local call, mine isn't...!
- 2. Telephone line noise can be very troublesome, again it you have to use long-distance. This will be helped by using the direct connect modems. The acoustic version is distracted by kids shouting and requires care in positioning the handset.
- 3. Unless you live in the London area, you cannot use the 'Mailbox' facility to any great advantage. The local computers only hold one message at a time and do not transmit that message to the other computers. I cannot send a message to a Prestel user unless he is registered on the same computer, OR I call London....Bad lines etc.
- 4. Particular Prestel facilities such as colour and graphics, while attractive, are not essential in transferring information, programs etc. But they are a nightmare to produce and take precious time to transmit.
- 5. Unless you particularly want to know what films Quantas are showing on their long-haul flights, or you frequently book theatre seats or hotels/flights, you will tend to use the system to collect 'mail', with perhaps a quick excursion to particular pages of interest.

B. BULLETIN BOARDS.

These are public access data bases which are run by enthusiasts such as ourselves. They use a standard 300 baud FULL-DUPLEX modem connected via an RS232 interface.

I know of seven of these bulletin boards and have accessed four of them using a borrowed Modem, Apple communications card, and a standard communications package. I believe that all these data-bases are run with TRS-80 computers with about 200K disk storage. I understand that the Tandy is used because of the host software, bought in the States, but there is little, apart from the Auto-answer modems, that many BASUG members do not already have.

The principal feature of this type of data-base is the ability to leave messages, either to a particular person, or as an open letter, for example asking for help.

There is also a section for down-loading programs, mainly communications, and mainly for TRS-80, Apple takes a back seat.!! However the programs that I have taken down for a BBC using the Apple seemed worthwhile, and free.

There are SIG pages and sales and wants, all good stuff, and easy to access.

A feature which is particularly friendly is the 'chat' mode. In this mode, if the system operator is near his machine he can break in for a chat, on request, and help out immediately with information or whatever. Interaction and direct communications are very much more enjoyable than the passive role of Prestel.

The Bulletin-boards can emulate any terminal and you configure the system on initial entry by answering a few questions about screen width etc. You then choose a password and from then on you will get messages etc. on signing on and of course the system will remember your terminal configuration.

It is particularly nice to see a few users from Finland and Denmark using the system. In the Hull Bulletin board there are many callers from the States, which makes it VERY interesting.

For those members with access to the necessary equipment, here are some numbers and instructions:

1.Liverpool (24 hours) 051-428-8924

This is an auto-answer system.

If using an Apple press return when asked for terminal type.

2.Hull (9pm-lam) 0482-859169
I get a poor line so access limited,

but it's the most interesting.

3.North-East (9pm-lam) 0207-43555

4.Stourport (???) +0299-32853

5.London (8pm-lam) +01-348-6518

* Dial number, allow 2 rings, hang up and re-dial for connection to computer.

All systems are 300 Baud, 7 bit even +1 parity.

PROBLEMS:

- 1. Phone costs still high, but information better.
- 2. No Apple users, yet.....

My own view is that there is much more scope for the bulletin board approach to communications, than the Prestel/Micronet route. The Apple has a wealth of commercial hardware and software for 300 baud data-bases, there are many articles on the subject in American magazines, and as we are all using the same machine we can happily exchange information Modem to Modem with each other without an intermediate stage.

I want to be able to look through messages and problems, make contact with other members, exchange programs etc. etc.

I do not believe that Micronet can adequately provide this service, particularly as it depends on intermediate editing. Members will pay, through Prestel, for a service that they may never use, and unless they really want to USE Prestel then I believe that BASUG should look to the interactive 300 Baud bulletin board.

In terms of hardware and costs, we know that the Micronet package will give us basic communications as already described, for £75.00 What I would propose is that members would buy a freely available modem kit from MAPLIN at £39.95 and a serial card such as an RS 232 interface. The Maplin modem does NOT have BT type approval, although it will comply when the wheels grind into motion: Many people use them and they are reputed to be excellent.

The main problem is that it comes as a kit, on top of this you must know something about electronics to get it to work. I certainly could not build one without help, and I imagine that I am not alone !!!

However it sufficient people were interested we would hold a series of regional or local seminars where members could come for the day, armed with a soldering iron, and, under the guidance of an expert, build their own assuming known numbers we could even arrange for the kits to be available for purchase at the seminar.

With the communications card we have the problem of cost again, the Apple comms. card costs about £100 and that's a lot!

designers, here is Hardware opportunity! Can we please have some-one offer their services (paid!) to design a basic 300 Baud comms, card. This could be available either as a kit or as a built unit, and if the cost could be kept down to around £30,00 then the whole package of Modem/card would be in the same ball-park as the Micronet offer.

On the telephone costs aspect then I think that we may well have a network of volunteers throughout the Country dedicating their machines (probably on a rota). BASUG would supply the software and all you would have to do, if the modem was auto-answer, would be to leave your machine switched on for a few hours in the evening.

I would think it essential that BASUG had a central data-base, auto-answer, 24 hour service which would be the principal point of reference. This central system could contain chunks of the software library, ordering service and 'help' centre.

It is essential if we are to continue with this excercise that we can get an accurate indication of our members wishes and therefore I would appreciate it if every-one could send answers to the

following questions as soon as possible so that we can then arrange either that the Micronet connection is enhanced OR that we organise the kits, software and hardware to get our own Bulletin-board under way without delay.

COMMUNICATIONS SURVEY:

- I. Are you intereseted in using your system for communications?
- 2. Are you interested in purchasing the MICRONET system?
- 3. Are you interested in purchasing a 300 Baud system?
- 4. Would you wish to attend a construction seminar?

To assist in arranging suitable seminar centres could you please give your address and telephone number.

If you can contribute either in software or hardware design please include details.

There is NO obligation to purchase anything by answering these questions.

We have already had a very good response to the extract from Quentin's article that appeared in the Update. Here are some quotes to give you an idea of what has been said so

Tony Game of Felixstowe, Suffolk.

I am very much concerned with the whole subject as owing to a disability which prevents me from travelling much, I have been unable to partake in the affairs of BASUG as much as I would have wished. I see a responsive and versatile communications system as being very much the answer to this.

I heartily agree with you that a system whereby one has to establish a verbal

contact before sending anything is far from ideal. It seems to me that if the Call Apple style of hotline is to be established it could most easily be done via an Apple somewhere being available to record a problem or request, the answer when possible being sent back to the waiting Apple at the other end. I would expect that in a very short time any system which is not really flexible will be obsolete.

John Stevenson of East Hendred, Oxon.

How long will it be before we can use one universal/programmable modem that will serve all the various options for data transmission. I am all for flexibility if it can be achieved at not too great a cost but I am concerned at the number of promises of availability or changes in the not far distant future that come out from many organisations.

Colin Madge of Croydon.

Yes. I think a bulletin board is a natural and useful extension to the Apple and BASUG but as an adjunct to not a replacement for a Prestel/Viewdata system. My own personal wish is also to have the ability to download broadcast teletext into the Apple as well.

With speed, 300 Baud is the accepted standard but 1200 Baud with error correction is possible. Whilst any decision taken to ensure a quick service would I think revolve around 300 Baud and a cheapish modem, I hope this would be only an interim decision to be extended later if necessary.

Ewen Wannop of Box, Wiltshire.

I have been using both bulletin boards and Micronet 800 for some time now, the former with a 300 baud modem andd the latter with the acoustic modem provided with the Micronet package for the Beeb. The 300 baud modern is based on the Maplin kit and runs to the European standards. The two systems are really completely different. Micronet and parent Prestel are mainly one-way It is of course information sources. possible to upload/download programs and leave messages, but as the system grows it will rapidly be swamped by the Beeb and other users. It will then be difficult for Apple users to find what they want quickly,

unless the BASUG pages are to become fairly complex. However the 300 baud boards are for information exchange on a level that is not swamped by other data. The mailbox facilities on these boards allow fast and easy access to information transfer and ease of directing these messages to anyone as needed. Program exhange is casily implemented, the limitation simply being the amount of disk space that can be put on-line.

Roland Saam of London SW7.

I want to do reliable user to user text transmission ideally with mallbox facility. 300 baud sounds fine - my volumes of text will not be large.

Donald MacLean of Chorleywood.

I think:

- That the Apple presence on Micronet should be expedited (i.e. that the cheap modem and card should become available pdq), AND
- 2. That BASUĞ should establish a 300 Baud Bulletin Board, AND
- That direct Apple to Apple communication at 300/300 should be actively fostered.

IMPORTANT

Please read the update.

Peanut Price Breakthroud

Apple compatible Disc Drives FULL HEIGHT MODEL ADI £167.00 HALFHEIGHT DRIVE 10 DISCS FOR Model LH-1 £167.00 PRIVES ORDERED

FREE PUSH BUTTON TELEPHONE WITH ALL ORDERS OVER £50

low Cost Printer, A-D/D-A cards Virtual disk, 128K Ramcard Print Buffer Card, Double Sided Drives Colour Monitor

Send for Details

Peripheral Cards for Apple

	Disk Controller (runs 13 and 16 sector£32.00
	Z80 (runs all CP/M software)
	Original (Contempor)
	Printer (Centronics)
	RS 232C
	Language (incorporating 168 RAM)
	Eprom writer
	80 Column (not //e)
	PAL card (16 cols on domestic TV)
	Branch Inches
NEW	52 Key Ascii encoded keyboard, Apple
Mr.	compatible, upper/ lower case£49.50
MITA	Clin-on A/C conling fan for Apple 31 (19.95
NEW	Sanyo Smith it breen
MEW	Star DP510 Printer(carr. \$7.00)\$75.00

All cards fully assembled and tested. MONEY BACK GUARANTEE

Carriage: under £100 add £3; over £100 add £5. Add 15% to all orders for VAT. Cash, cheques, P.O.'s payable to:

PEANUT COMPUTER

Dewsbury, W. Yorks., WF13 3LX. Tel: (0924) 499366

TRADE ENQUIRIES WELCOME



Ceemac

by John Molloy and Colin Holgate


Ceemac is an abstract graphics language created by an American called Brooke Boering. It looks a little like Pascal when written down, and it has two major sections: the editor and the interpreter. All the variables are predefined and are prenamed. Some for example, read the keyboard or give the state of the paddles or the state of the cassette input port, others are for tables and giving random numbers over specific ranges. It also has a library of almost 30 macros which includes a trace function and the ability to send sound out through the speaker.

Mr Boering's concepts are simple to follow but Ceemac does have some strange eccentricities. For example instead of writing a program you compose a score regarding the graphic displays as visual scores and not as programs. However if you also ignore the fact that everything else connected with the disk has a name (edgar the editor and cindy the proofreader etc). It is surprisingly easy to write impressive abstract graphics.

All the scores from the Fire Organ demonstration disk are supplied with the language in editing form and this gives the best start to writing your own routines, the suggestion being to start with something which is "sorta close" to what you would to see on the screen and then experiment until you a) get what you want or b) (the more likely) end up with something very impressive but not what you were aiming at in the first place.

When the disk is first booted, it comes up with the Fire Organ logo. Then the program jumps into the fire-organ routine. In fact it looks the same as Fire Organ except that none of the keys apart from the two arrow controls seem to work. By pressing ctrl-A the screen jumps to text and it is in editing mode. The current score is the tire-organ score. To execute it again enter ctrl-A this is how to move between the editor and the interpreter. Once in the editor ctrl-C jumps Ceemac into DOS and to run another score you simply brun it. To re-enter Ceemac it you jump out accidentally then just type *800G.

Each score is limited to 256 statements. These include title, end statement and any comments. You can only put one statement on a line. For example one of the scores which comes with the disk is called ko (Standing for key O on the Fire Organ disk).




```
SCORE: KO-21ST CENTURY MAN (SLOW)
  : INITIALIZE
  SPEED LO: 01
  CLEAR [0:0]
  V2 = 1
       V2 = INCR. FOR Y CURDINATES
  :
       V3 = INCR. FOR X CORDINATES
  VA = 7
       V4 = SEMMITRY
```

```
: MAIN CHAIN
 INIT. FOR NEW PATTERN
SKY [$OF:0]
XY2 = RANDOM; $80
COLOR = NXTCOL
        SET COLOR FOR NEW PATTERN
: DRAW PATTERN ERASE AFTER 8 LINES
FOR $10
  BLINE [0; V4]
 Y2 = Y2 + V2
X2 = X2 + V3
  Y1 = Y1 + V2
 x1 = x1 + v3
  BRASE [8:0]
AGAIN
CEEMAC REL 1.0
```

From its listing; the top line is the title line; the colon is the comment symbol. SPEED [0:0] is the macro which overrides the paddle setting, CLEAR (0,0) sets the screen to black. V# are the free variables and can be set as required. O in the line under the comment : MAIN CHAIN is where the program loops back to when the left arrow is pressed. All ceemac programs loop back on themselves so that when it hits the last statement (CEEMAC REL 1.0) it jumps back to the top of the score. SKY (\$0F;0) fills the screen with stars but due to the \$0F in the first parameter it fills the screen with 15 stars. XY2 - RANDOM;\$80 is the same as typing X2 = RANDOM Y2 = \$80 and is the end position for the BLINE macro below, RANDOM is a random variable between 0-\$FF. COLOR= NXTCOL gets the next colour off of the hires colour table. COLOR is the variable which holds the present plotting colour. FOR \$10 is the start of a loop which ends at the AGAIN. It is in hex. BLINE (0;V4) draws a straight line XYI holding the start position XY2 holding the end and COLOR holding the colour of the line. The parameter set to V4 in the macro is the symmetry (if it was set to 0 it would draw a single line but V4 is set to 7 which reflects in all eight sectors of the screen, Y2 and Y1 are incremented by V2 which is set to I while X2 and X1 are incremented by V3 which is set to 2, BRASE [8;0] erases the BLINE plotted eight generations later (so after it has plotted the eighth line it crases the first, after the ninth the second etc.). After this loop has been executed sixteen times the computer jumps to the top of the score.

After a short while I found it quite easy to understand what was going on and to write simple but effective graphic displays. Spline runner was one of my early attempts to write a Ceemac score, along with it I have included some graphics dumps of the routines.



SCORE: SPLINE RUNNER

AUTHOR JOHN MOLLOY

A CEEMAC SCORE ILLUSTRATING THE USE OF THE JORDAN CURVE KNOWN TO CEEMAC AS SPLINES

IF I CAN DO IT ANYONE CAN

: SELECT THE FASTEST SPEED : THIS IGNORES THE PADDLES SPEED [0:0]

```
. NOW CLEAR THE SCREEN BLACK
CLEAR [0;0]
: SET WHITE AS THE COLOUR FOR
: PLOTTING
COLOR = $FF
: SELECT TO RANDOM START POSITION
: BETWEEN 0-127
XY1 = RND7:RND7
XY2 = RND7;RND7
: THIS IS WHERE TO LOOP BACK TO
: GIVE A RANDOM FIGURE WITH WHICH
: TO WEIGHT THE SPLINE
: IE THE AMOUNT OF BENDING APPLIED
: TO THE SPLINE
XYO - RND7: RND7
XV3 = RND7:RND7
: ADD OR SUBTRACT UNTIL THE SPLINE
: HITS A WALL
x1 = x1 % 2
Y1 = Y1 % 2
: NOW WE GET TO DRAW THE SPLINE
SPLINE [8:6]
:
        II
       I VALUE OF SYMETRY
        MAXIMUM FORCE ON SPLINE
: ERASE THE 20TH LEVEL SPLINE
SPRASE [$14;0]
```

As you can see it is quite varied even from a program as short as this (12 lines if you take out all the comments. A SPLINE is a curved line (as opposed to a BLINE which is a straight line) and the mathematical formula for this macro was supplied by Mik Jordan (hence the other reference to them as Jordan's curves) The manual gives a two and a half page explanation of how they work as the concept is quite hard to grasp but the effect is stunning. The graphics dumps don't give any impression of movement which is how the scores 'evolve' in real time.

: LOOP BACK ROUND TO F

CEEMAC REL 1.0

On the whole Ceemac is an interesting graphics package. If you are into fast moving hi-resolution abstract visuals, then it is not to be missed. Anything omitted

from the manual is covered in notes left in BRUN-able files on the disk, and are easy to access. But if you would just like to see what Ceemac can do then the package Fire Organ is for you.

Fire Organ ------

No amount of describing Ceemac can really show what it can do for you, as per the formula '1 picture = 1000 words'. Fortunately the makers of Ceemac have put together a 'visual album' of Ceemac 'scores', This analogy to music is a good way of putting things. The 'Fire Organ' disk (available from the software library) is a collection of visual 'tracks' created on Ceemac and put together with another program called Maestro. By combining many scores together a variety of effects can be triggered without having to load in another effect file. This is done by assigning a separate key for each score. Altogether there are 34 different Ceemac files, operated by hitting the keys I to 9 and A to Y.

In general the different effects are either moving lines, spline dot lines, kaleidescope patterns or actual shapes. Many of the parameters can be altered during these routines, for example the rate at which the lines are drawn/erased can be adjusted by moving paddle 0, or the next lap of the effect can be triggered by pressing button O. Also paddle I may affect how many lines appear at once, and button I changes direction or colour of the lines. This depends on which of the 34 scores you are watching. In any case the left arrow duplicates the role of button 0, and the right arrow does the same for button I. By pressing, hitting or moving these controls you have dynamic control over the score as it is being shown. Effectively this means you 'play' the score. This can be very impressive if the playing is done to music, at least we hope it's impressive, Mainframe has used Fire Organ extensively over the past 10 concerts!

The Ceemac scores on the Fire Organ disk were written to be accompanied with music. Apart from the main display program, the disk also has several binary files on it labelled 'About...'. These are to give the user an insight into the thinking behind

Ceemac and the scores themselves. When run these files display a text account of what inspired the writing of the different scores. This seems to vary from a favourite piece of rock music (Maintrame probably), to having a drink with a girl friend! Some of the text is of no particular value, but is part of a friendly approach that Ceemac has throughout. This is a bit hard to explain. Put simply, Ceemac is written in a familiar way, the sort of program you would write for your own use. Things are often explained in an amusing way. We have heard criticism of this from someone whose sense of humour is on a different wavelength to Brooke Boering and his friends, but we get on well with the friendly method used.

Other files explain the different parts of Ceemac, such as the program editor, the text editor and other Vagabondo products.

Altogether then, Fire Organ would be worth buying as a separate product, just to watch while listening to music. As it is Fire Organ is effectively free, to help sell the Ceemac language itself. Ceemac doesn't appear to be available in Britain, but can be bought in America. Maestro is also available from Vagabondo. Further details are given in the afore mentioned binary files on Fire Organ.

hardcore

Contributions to Hardcore are always welcomed. Without them it would not exist. Whether you have a learned article, a 'quick tip', a problem or a solution, let us know.

If you have more than a short letter, it is helpful if you could send it on a disk, with a hard copy it possible. If you want to send printed copy, please do not cut it up but fill justify on a 9 cm (3.5 ins) column. We prefer copy on disk, either as a text file or an Applewriter I file. Pascal text files and others such as Wordstar files can probably be accommodated. Please use the minimum of embedded printer commands.

Remember, contributors receive credits for cheap Software Library or blank disks.



LOOK WHAT 'PRACTICAL COMPUTING' (AUG '83) HAS TO SAY ABOUT THE STROBE:

- ... is ideal as a tool for a school or college. 9
- It took only a few minutes to get the system up and running. 9
- Unlike a number of other plotters the Strobe is well served with software.
- R A good manual complements the software. 7

Produces simple line drawings, graphs, pie and bar charts, overhead transparencies, etc.

* Complete system including '&PLOT' disc software and interface for the II and IIe.

When ordering please add 15% VAT and £3 for carriage. Pay by cheque, PO or Access. Send to:

AIMGRAM (09277) 68211

Aimgram Ltd, 31 Roman Gardens, Kings Langley, Herts WD4 8LG

DOS EOF

AN ALTERNATIVE DOS END OF FILE

by Richard Teed

One of the problems with reading data files in BASIC is that it is very difficult to deal with an end of file, either data has to be put in the file to show the end of file or an "ONERR" command has to be used.

Although the "ONERR" command is usable it has a number of problems the worst of which is that file reading cannot be done in a subroutine because the stack is upset.

The following is the DOS readbyte routine which is used for reading text files from disk:-

: Is BASIC running ?

; If not then shut shop

:Set DOS to state 6 (no output

```
ORG
                           SA626
                  MSB
                           ON
                  LST
                           OFF
                           SA65E
I SBASRUN
                  EOU
                           $A679
CLSWARM
                  EOU
CSWSTATE
                  EQU
                           SAA52
RDTEXT
                  EQU
                           $A68C
CLOSFREE
                  EQU
                           SAZEC
RTS5
                  EQU
                           SAGOD
DOERROR
                  EQU
                           SA6D2
                           SAA5C
ASAVE
                  EOU
                           SAASA
XSAVE
                  EOU.
                           $0200
IN
                  EOU
                           59FB3
DOSXIT
                  EQU
         DOS 3.3 READ BYTE ROUTING
: * * * READ A BYTE
READBYTE
                  JSR
                           15BASRUN
                  BCS
                           CLSWARM
                  LDA
                           #6
RDB . L
                  STA
                           CSWSTATE
                  ISR
                           ROTEXT
                  BNE
                           TSTLWR
     DEAL WITH END OF FILE
EOF
                           CLOSFREE
                  JSR
                  LDA
                           #503
                  CMP
                           CSWSTART
                  BEQ
                           RTS5
                           #505
RD.Z
                  LDA
                  J:MP
                           DOERROR
     CHECK AND DEAL WITH LOWER CASE
                           USEO
TST WR
                  CMP
                  BCC
                           11.53
                           #57F
                  AND
LL53
                  STA
                           ASAVE
                  LDX
                           XSAVE
                  BEQ
                           LL63
                  DEX
```

IN.X

#580

IN.X

DOSXIT

LDA

ORA

STA

TMP

L1.63

```
; of promot)
;Read a byte from the file
 ; into the accumulator
 ; If not an end of file terminator
:Close the file
 ; Is DOS in state 3 (EXEC)
 ; If so then exit to caller
 ;Get theerror number for:
 An "END OF DATA ERROR"
 : Is the character lower case ?
 :It not then skip
 Else remove the MSB
 :Save A
 Get our position in the input buffe
 ill at the start then skip
;Set the MSB on the character
; (last character planted may have
:been fixed for lower case)
 :EXIT
```

As can be seen each byte read is placed in the input buffer until a null byte is returned; then an end of file condition exists and all text files are closed and an "ENDOFDATAERROR" is output. The exception to this is if the text file is being EXECed, in which case the file is simply closed.

What is needed is for a special character to be returned on the end of file being reached and for this I have chosen CHR\$(127).

Ideally a check would be made on the number of characters read into the input buffer. If the present one was the first then a CHR\$(127) (\$7F) would be returned. This would satisfy the GET command. If the present character were the second then the routine would assume that the command was an INPUT and would return a <RETURN> character: thus a CHR\$(127) would be returned for both GET and INPUT.

Unfortunately things aren't that simple and, instead of the "X" offset being zero for a GET, it's a one, so the <RETURN> character must be returned on the third character (ie when "X" is 2). This will result in the single character returned to GET being the desired CHR\$(127) but the string returned to

INPUT will be a double CHR\$(127). Still, this should not cause any real problems.

Here, then, is the modified DOS for our improved end of file condition (n.b. on end of file you have to do the closing yourself).

	ORG	\$A626
	MSB	ON
	LST	OFF
3		
SKIP	EQU	\$2C
RETURN	EQU	\$80
15BASRUN	EQU	SA65E
CLSWARM	EQU	SA679
CSWSTATE	EQU	SAASZ
RDTEXT	EOU	5A68C
CLOSFREE	EQU	SAZEC
RTS5	EOU	\$A60D
DOERROR	EOU	SA6D2
ASAVE	EQU	SAA5C
XSAVE	EOU	SAA5A
IN	EOU	\$0200
DOSXIT	EQU	\$9FB3
1	- 17	400000
4		



Why buy Commercial Software and not know what's going on?

Meet 'TRICKY DICK' and his accomplices:-

The LINGUIST The CODE BREAKER The TRACER The TRACKER

Why not buy a kit of 5 powerful disk espionage utilities, all on one disk, that allow you to investigate, edit, locate list, trace, rescue, translate, patch, repair, verify, examine, protect, unprotect, encrypt, decrypt, and analyse programs or textfiles on normal and PROTECTED disks. This kit includes the 'CIA FILES', a 60,000 + word book on all aspects of the Apple (B) disk, many of which have never before appeared in print. "The CIA Files" gives you extensive detailed, easy to fead, information on disk repair, file recovery, DOS patches, copy protection, disk formatting, program encryption, and many other vital topics, showing you keystroke by keystroke, EXACTLY how to do it!



:

ï

IMPROVED DOS 3.3 READ BYTE ROUTING

READ A BYTE

READBYTE	JSR BCS LDA	15BASRUN CLSWARM #6	; is BASIC running ? ; if not then shut shop
RDB.1	STA	CSWSTATE RDTEXT	;Set DOS to state 6 (no output ; of prompt) ;Read a byte from the file
1	BNE	TSTLWR	; into the accumulator ; If not an end of file terminator

: *** DEAL WITH END OF FILE

This routine returns a CHR\$(127) for a GET And a two character string both CHR\$(127) for an INPUT

EOF buffer	LDX	XSAVE	Get our current position in the input
	CPX BNE LDA DFB	#\$02 GET #RETURN SKIP	; Is this the second character? ; If not then this is a GET not an INPUT ; Terminate string with a <return> ; Skip the next sequential word</return>
GET	NOP	#\$FF	End of file character
	NOP		;Pad out to the same length as the original
	NOP		

: *** CHECK AND DEAL WITH LOWER CASE

(as above)

There are two things to be remembered with the above routine: The first is NEVER EXEC a file with it because if you do the result will be an unstoppable infinite loop, and the second is that it will not work for INPUTting to numeric variables.

A big advantage of this method for dealing

with the end of files is that it will work with compiled programs as well as normal interpreted programs.

In order to use the routines easily, here is the data in poke form. You can put this into your programs at strategic places.

NORMAL DOS

100 FOR N=42534 TO 42589 : READ A : POKE N, A : NEXT N

1000 DATA 32,94,166,176,78,169,6,141,82,170,32,140,166,208,15,32,252,162,169,3,205,82, 170,240,206,169,5,76,210,166,201,224,144,2,41,127,141,92,170,174,90,170,240, 9,202,189,0,2,9,128,157,0,2,76,179,159

IMPROVED DOS Shekes edason.

100 FOR N=42534 TO 42589: READ A: POKE N, A: NEXT N

```
1000 DATA
32,94,166,176,78,169,6,141,82,170,32,140,166,208,15,174,90,170,224,2,208,3.1
69,141,44,169,255,234,234,234,201,224,144,2,41,127,141,92,170,174,90,170,240
,9,202,189,0,2,9,128,157,0,2,76,179,159
```



THE APPLE II DYNAMIC DEBUGGING TOOL

A unique blend of hardware and software designed to greatly simplify and lease the task of debugging programs running on APP(E II



THE APPLE DDT IS THE MOST ADVANCED DEBUGGING TOOL AVAILABLE FOR APPLE II I a version available October

PRINTER

· INTERCEPT tion \$250 to \$5100 with quantient of \$630. While in \$750, restriction helpin following, or great restriction are 40% used to complex card of the thorn the Debug experiment.

any \$100.) In time wideful declining anything gold for graphe-· VEW

· WINDOWS Up to 8 say be set up anywhere in APPLY menery and say he instrum

to A or A registery. Or printing in the E. ASCO, 1281 WKR.

· MODIFY TREATH IN HILE ALREADY LANGUAGE OF DULLS IN YORK GREEN, IS ASSET

A PICKTICAS ing SIACS on St. Holden & SINGLE STEP heady in popular & DUMP helloy will a Victor

a TEST nunderlyactory all \$79% RAW and progrant are havey in-. FIND

up to so a tyle ottop appateur in APPLE memma

PLOS more jugant trademy to attained, and give in the Daloig amountment

APPLE-DOT

- It for them, street and self-promoting

- date. NOT you may APTER you recover to eating Page D. comb or anylog RAM - seems totaling

- 5 APy foresevent and handle fell installed incessions, dying minuting within - see he and with APS, high, my amount of RAM, respectively, and account of AD, was \$4254.

A ran Be year will conduct peoply (4) by Alegan in the International Page larging and the

AS A BONUS

- · APPLE DDT even comains its lawn. Non-ASS/WEIGH DISASS/WEIGH
- Flutter, CDFFS of fitting appearage also possed favor to be more

PRICE E 198 nus VAT

Available girect or from all good APPLE deglers


A PERSONAL PROPERTY.

APPLEADING MILES AND A SOLIT 1. y - (ar) = - 104/1 (ar)

Strategic Systems Technology

11 Connaught Place London WZ 2ET England - Tel: 01 625-4265 Teles: 299067

Sale European Representative & Distributor of this Quelity product from UNISOFT DEVELOPMENTS LTD



ARE YOU FED UPP WITH SPEELING

MISTOKS AND GRUBBY, HIPPEXED

TYPPING ??

YOU NEED THE BAASUG

DO POUR

WRODSTAR COURSE 11

The first BASUG Wordstar course will be held in Bracknell on the 8th October 1983. There are some places left, but HURRY. No experience or technical knowledge knowledge is needed. For further details, and to reserve your place, ring Fran on 0727-67450. The cost is £17.50 to members, £25.00 to non-members.

Readers' letters

/Ed. -Here is the reply to Jeremy Lee-Potter's letter published in the August edition of Hardcore./

Apple Computer (UK) Ltd. Hemel Hempstead, Herts

Dear Sir,

A lower quality black and white output is usually due to the 'colour killer' switch being in the incorrect position. All Apple //e's have this switch, although on later models it has moved to the right hand edge of the motherboard. The computer will produce black and white when this switch is in the 'On' position. A quick check is to load the 'Apple presents Apple' disk and observe the screen whilst moving the switch: May I also suggest a check of the monitor cable to see if this is of the correct type? Some coax cables are only for use with VHF signals and this attenuates the video band causing the over use of contrast.

The character change on the 7x5 dot pattern was to enable the use of descenders in lower case, a situation not encountered on the Apple \mathbb{I}_+ of course.

World-wide sales of Apple II+ and //e have increased dramatically over the last year causing great strain on the production of things like the Monitor ///. Apple are trying to resolve this problem by early Autumn. As you can appreciate few monitor companies are in the position to produce the quantities we require to the quality standards we insist on.

In conclusion I am surprised that you find the Apple //e video inferior and hope this is due to the switch position. In the two and a half years it took to develop, the video output section was one of the improvements we sought. Tidying of the signal quality on-board was our main objective to achieve this.

Yours faithfully,

Apple I Product Manager

Finchley, London

Dear Sir,

G. H. Davies, in the June edition of Hardcore, enquires about the hi-res graphics mappings. I shall try to answer his question.

The Apple hi-res screen is split into 192 rows of 280 dots. Each row of 280 dots is stored in forty bytes, Each group of seven dots belongs to one byte, the remaining bit (the eighth) in each byte being used for colour description. Each byte is represented back-to-front on the screen i.e. the least significant bit is on the left of the seven bit group instead of being on the right as is the usual convention. As you move from left to right, increasing the X co-ordinate, you move from bit to bit going in increasing significance until the next byte in memory is accessed.

The ITT, though, has 192 rows of 380 dots: There are still forty bytes to each row, but each byte now has nine bits, all visible on the screen. The reverse mapping system is still used (i.e. Isb on the left).

So the X co-ordinate can be converted into an offset address and a bit number by the following simple calculation:

for Apple: OFFSET = 280 DIV 7 (integer divide) BITNUM = 280 MOD 7

for ITT: OFFSET - 360 DIV 9
BITNUM = 360 MOD 9

The Y co-ordinate is not so easy. Both machines use the same mapping technique. Try this BASIC program:

10 HGR : FOR X = 8192 TO 16383 : POKE X,255 : NEXT

This fills hi-res page I in logical sequence of bytes. You can see the extraordinary way the memory has been mapped into the graphic page. There seems no logical reason why this method was chosen. It is made worse by the fact that at the end of each row there are two bytes which are not visible on the screen and so are not used. This is evident from the following proof:

Each page is 8k long = 8192 bytes.

Each row on Apple and ITT contains 40 bytes.

Each page contains 192 rows.

=> Number of visible bytes per screen = 40 x 192 = 7680

-> 8192 - 7680 = 512 bytes are unused.

=> 512 / 192 = 2.667 = 2 bytes per row are wasted.

In fact, we do not have to bother about the technicalities of the relationship of the Y co-ordinate and the left-hand base screen address since both Applesoft and Palsoft ROMs provide a machine code routine which calculates the left-hand base address for the Y ranges 0 to 191. These can be used as follows:

For Apple: LDA YCOORD JSR 5F411

LDA YCCORD For ITT: JSR 5F458

The base address is returned in locations \$26 and \$27. The page number (\$20 = page 1, \$40 = page 2) must be placed in location SE6.

So, the actual location of the byte to be chosen can now be calculated:

add the offset calculated first to the base address in locations \$26 and \$27 just calculated.

The bit position can, for the Apple, be easily calculated:

VALUE = 2

Thus 'VALUE' will now be a number which can be directly inserted into the location. Of course, in assembler, this value can be calculated as follows:

LDX VALUE LDA #0 SEC SHIFT ROL DEX BPL SHIFT

The resulting value can be stored in the calculated address or it might be used as a mask for a logical operation to achieve EOR, AND or OR as well as REPLACE.

The ITT, because of its extra bits, uses a slightly more complicated system. The first eight bits of each byte can be addressed in the same way as the Apple, using the above method; but the ninth bits cannot,

To write to the ninth bits you actually write to the eighth bit of the specified location as follows:

LDY #0 LDA (HPTR), Y ; GET GRAPHICS BYTE POINTED TO BY HPTR

PHA ORA #\$80 SET EIGHTH BIT ENABLE NINTH BITS STA SC05E STA (HPTR),Y : SET EIGHTH AND NINTH BITS

; DISABLE NINTH BITS STA SCOSE PLA

STA (HPTR), Y ; RESET REST OF BYTE TO ITS OLD VALUE

The above routine will set the ninth bit of a location pointed to by 'HPTR' without changing any other bits. The processing required to handle the ninth bits is what makes ITT graphics that much slower than the Apple's.

To read the value of the ninth bits there is a simpler way:

LDA (HPTR), Y ; SELECT WHICH BYTE TO READ GET SELECTED NINTH BIT LDA SC063

BMI BITON BPL BITOFF :IT'S OFF

The ninth bit switches used by the ITT are, In fact, the Apple switch 3 and paddle 3 locations. Hence the ITT has only three paddles and two switches.

I hope that the above throws some light on the Apple and ITT graphics.

Yours,

Dave Miller

Accra, Ghana

Dear Sir,

The BOLDPRINT routine on library disk 72 is a useful extension to the limited facilities of the Silentype printer.

Switching it on from within a BASIC program with a DOS BLOAD and a CALL 769 is no problem. But can anyone tell me how to switch it off?

Yours sincerely,

Manu Herbstein

Sample printout:

NORMAL SILENTYPE PRINTOUT.

THIS IS BOLDPRINT.

Sauchie, Clacks.

Dear Mr. Panks,

I have not yet got an Apple, but intend to buy a //e later this year, so I wonder if you could answer one or two questions for me?

Are there any Apple User Groups near me?
 live near Stirling which is roughly midway between Edinburgh and Glasgow.

2. Does the Apple //e suffer from overheating if it has several add-ons like the Z80 card, extra memory, Accelerator, etc? If so, would the Monitor Stand just not make things worse? 3. Can you please recommend a magazine which is devoted entirely, or mainly, to the Apple, and how would I get it?

Yours sincerely,

J. Howard Wright

/Ed. -1. We don't seem to have any local group near you on our records, but I have put your address in our lonely Apples column.

2. We haven't heard any complaints about overheating. The most power-hungry boards on the I have been made less so on the //e and there are fewer chips, so it shouldn't be a problem. It anyone knows to the contrary, please let us know.

3. See the article by Keith Chamberlain in this issue./

East Hendred, Oxon.

A new boy seeks help.!!

As a member for 2 months may I make a suggestion that has possibly been aired before. Is it possible for new members to get hold of back copies of Hardcore for a fee. Maybe someone has a cumulative index or could master disks for each issue be put in the library. On the same theme, is there any place where one can find out more about the various programs listed in the Software Library other than suck it and see?

I hesitate to send this on a disk since I note that in the current Hardcore you ask for comments via Applewriter I. This is II.

John Stevenson.

/Ed. -Back copies are available from the administrator at the cover price of £1. We are considering doing a special offer for a batch of back issues, so watch this space! It wouldn't be worth putting the issues on disk as the disk would cost more than the back issue. Also the files are very specific to my printer. As to the software library, yes, for that price you must expect to take a chance on whether the disk is what you want. However, disks are frequently mentioned in Hardcore with comments, so perhaps the back issues might help you. I believe Jim Panks is currently working on a new catalogue.



Avoids all the problems normally associated with printer paper management

- Stands neatly on a desk top
- Printed paper stacks neatly in the tray
- Supply paper locates underneath can conveniently remain in its carton
 - Sturdy design finished in brandy white
- Electric cables run underneath out of harm's way

Accommodates most makes of 80 character printers including:

- EPSON MX80 #
- MICROLINE 80

ORDER DIRECT FROM ADVANCED RESOURCES ON THE ORDER FORM BELOW.

Discounts available. Please enquire for details.

ACMINISTRATION RESOURCES RESIDENCE THE RIGHT TO IMPROVE THE DESIGN WITHOUT RAISE.

(0981) 540 262 y of Advanced cludes VAT and Price each	Printer Stands	Position Organisation Address Post Code Telephone Number	
cludes VAT an	d delivery	Address Post Code	
		Posi Code	
Price each	Total	AND THE PARTY OF T	
Price each:	Total	AND THE PARTY OF T	
		relegatione Number	
		Address for delivery (if different from above)	
		Name	
Cheque enclosed for £			
		Post Code	

Applewriter II files are text files and exactly what we like. In any case, we are prepared to accept any type of file as there is usually someone who can read it for us./

Liverpool 16.

Dear Sirs,

I was most interested in your Update No. 12 that BASUG is venturing North of Watford and coming to Liverpool. Please could you forward details.

Whilst writing, I would be pleased if you could answer how FRE(0) clears the memory of 'unwanted strings', how FRE(0) is used in garbage collection. I have found a time lag whilst this function is used, can youch that my 'wanted strings' remain intact, However, I am still mystified.

Belatedly, may I congratulate you on the Machine Code Course I attended in December last which I thought was first class.

Thanking you for an informative magazine.

Yours sincerely,

Paul Rubin.

/Ed. -Check with the diary for details of the Liverpool workshop.

Would anyone like to explain FRE(0)? You might find Richard Teed's article on strings in this issue of interest in the meantime./

Belfast.

Dear Sir.

In the August edition of Hardcore Dougal Hendry mentioned shiftkey bounce with the Vision-80 card. Until then I had thought that there was a fault with my Apple Tr. The dealers who supplied the Vision-80 card even went so far as to replace my keyboard in an attempt to cure the fault but it returned within a week. Now 1 find that it occurs with other Vision-80 cardsl

When corresponding with Pynwon about Configuring the card for Wordstar, I mentioned this problem, but all they said was that they had no problems with theirs, so implying that the fault must be with my machine.

Does anyone know how I can fix the shiftkey bounce, and also is there any way of adjusting the card so that the bottom line does not disappear off the bottom of the screen (without having to adjust the monitor)?

Yours sincerely.

B. P. Cooper.

Sunbury on Thames.

Dear 'Sir'.

In the August 'Epson Pages', Norah Arnold refers to Mike Glover and Trevor Roper's 'bypass code' on page 57 of June 'Windfall'. pointing out that the version given for the Grappler works just as well for the Digitek Printmaster.

May I point out that the version given for the Epson 8132 card will work just as well for the Apple and ITT Parallel Printer (and for all I know, other) cards? What it does is to store the character to be sent in \$C090 and check the printer 'busy' signal in \$C1C1, exactly as these cards do. The firmware on the cards is what is bypassed, so the fact that the Epson firmware differs from the Apple's is irrelevant!

Yours faithfully,

R. Teale.

Kingswood, Surrey.

Dear Sirs.

Re Program Difficulty on ITT 2020

I understand that you may be able to help me on a particular 'bug' in my program. This is the final problem on a program which has taken me two years to complete.

I am using the HGR2 graphics mode to plot sales figures and a line of least squares regression. However, to give the axis any meaning, I would obviously like to label

them (both X and Y axis). I have consulted the Applesoft Basic Programming 11 Reference Manual' which for my purposes suggests the two following POKE commands:-

POKE -16298.0 High Resolution Graphics 2 to Low Resolution Graphics 2, whilst not clearing the screen.

POKE -16300,0 Low Resolution Graphics 2 to Low Resolution Graphics 1, whilst not clearing the screen.

All that is displayed are a number of lines horizontally across the screen, together with 'blobs' where the narrative should be. It seems that I need either another POKE command to go from Low Resolution Graphics 1 to Text Page I without clearing the screen. or a totally different approach.

I have the original type of ITT 2020, but it has been uprated to DOS 3.3, it has 48k of memory with two disk drives.

I attach a copy of the relevany part of my program annotated as necessary.

Many thanks in anticipation of your help.

Yours faithfully,

G. L. Taylor.

/Ed. -If anyone can help, get in touch with me and I will pass on the listing./

Thank you to Ian Shipley of London WC2 and David Wilshere of Blonay, Switzerland for your letters on the Epson and Applewriter. I have passed them on to Jim Panks who will hopefully have replies or an appropriate article for the next issue.

St. Mary Cray, Kent.

Dear Tony,

I've noticed the odd 'small ad' in past issues of Hardcore. Is it possible for the magazine to run 'box numbers' for replies? This might sound silly for a publication like Hardcore, but I know that many people very sensitive about having address published as it can burglars.

On a wholly separate note, I have a huge collection of Eamon disks, which are all public domain and I'd be happy to arrange to copy them at cost.

Finally, I've heard nothing from Micronet since first registering my interest about a year ago, Ilas anyone at BASUG had greater luck getting a modem link into Prestel? I'm beginning to wonder whether Micronet have lost me from their records. If anyone can help with a contact address & phone number for them I'd be grateful as I'd certainly like to chase them up.

Always looking forward to the next Hardcore.

Yours sincerely.

Selwyn Ward.

/Ed. -Small ads are free to members, BASUG does not have the resources or the administrative time to run box numbers. If you do not wish to have your address published, then just quote a phone number.

Thank you for your offer of Eamon disks. I have passed the list on to Jim Panks as I feel it might be more sensible for him to arrange to have them copied once and then add them to the software library.

On the last point, I suggest you read Quentin's article in this issue. The address you wanted is:

Micronet 800 Teleman Ltd Bushfield House Orton Centre Peterborough PE2 011W Tel:(0733) 237111./

Hampton, Middx.

Dear Mr. Panks,

I enclose herewith a disk with a machine code version of 'Haunted Caves'. I had been translating the game from Basic into binary for a bit of intellectual amusement, when I saw, in the August copy of Hardcore, Philip Colmer's comment on the lack of a 'Help' facility. I took the opportunity to write one in, and hope that the resulting game may be of some interest to other members.

Yours sincerely,

W. Anderton.

London E13.

Dear Yvette,

have just solved the ITT/Pascal Upper/Lower case problem, as mentioned by Mike Siggins in Hardcore, August '83, Chances are that everyone already knows about it, but just in case - here goes.

Reading through back issues of 'Windfall', I found in the January '83 issue, a note in Appletips (by J.P.Lewis) on implementing an adapted monitor to enable a shift-key mod.

This made it clear that the shift key routine in SYSTEM, APPLE is located at the paddle button 3 location (\$C063). A search of the ITT2020 manual elicited the fact that location is used for the hi-res graphics and is hence not available. The solution seemed to be to point this routine at something more innocuous. The cassette-in location at \$C060 presented itself as a suitable candidate, and the following program (adapted from that in the above article) has solved the problem for me. (Incidentally, other keys are now in the right place (@.[.])).

program SHIFT:

(* Resets the shift vector at \$C063 in the file SYSTEM. APPLE to \$C060 for use with the ITT2020 where \$C063 is not available *)

BUF:packed array[0..31,0..511] of 0..255; F:file; I:integer:

begin

reset(F,'SYSTEM.APPLE'); I := blockread(F,BUF,32); close(F); BUF[4,61] := 96; (* To get BIT \$C060. *) reset(F,'SYSTEM.APPLE'); I := blockwrite(F,BUF,32); close(F); end.

Hope that this is of some use.

Yours sincerely,

Andy Holderness.

ADVERTISERS

AdvancedResources	42
Aimgram Ltd	34
Berkshire Micros Ltd	2
Elite Software Company Ltd	47
Golden Delicious Software Ltd	36
Jane Davis Publications	18
Lux Computer Services Ltd	2
Meekrose Ltd	2
Pace Software Supplies	24,25
Peanut Computer	30
Pete& Pam Computers	48
RoscoLtd	10
Strategic Systems Technology	38

Small Ads 12

Advertising rates

Full page	£50.00
Half page	£27.50
1/4 page	£17.50
Flysheets	£75.00

Preparation of artwork from £ 5.00

Copy Dates

Date	Edition
October 28th	December
January 6th	February
March 2nd	April 1
May 4th	June
July 6th	August

Please send complete camera-ready artwork in monochrome. If the original is in A4, then typeface must stand photographic reduction to A5. We can undertake minor alterations to copy.

DIARY

October

Herts Group - Communications and Prestel 4th

BASUG General Meeting in Liverpool (see update or 8th

ring John Rogers on Harpenden 5100). Subject

Communications. Wordstar Course 8th

Hants and Berks Group 10th

Croydon Group

East Kent Group, Margate 11th

South West London Group - Technical Software 13th

15th Advanced Visicalc Course

November

Herts Group 1st

East Kent Group, Margate 8th

South West London Group - Peeks, Pokes & Calls 10th

BASUG National Meeting in Maidstone, Kent. 12th

14th Hants and Berks Group

Croydon Group

North West Computer Show, Belle Vue, Manchester 24th-26th

Visicalc Course in Manchester 27th

December

6th Herts Group

South West London Group - Games 8th

BASUG National Meeting 10th Hants and Berks Group 12th

Croydon Group

13th East Kent Group, Margate

If you would like your events in the diary, please write in and tell us about them.

ELITE SOFTWARE COMPANY.

5-C Macro Assembler: Full macro assembler with 100 page manual. Operates in any II or //e. Source files may be in core or on disc. Object files may be assembled directly to memory, or to disc. Can read or write standard text files. Editor and assembler are co-resident, all Apple DOS and monitor commands are available.

Price £60.00 + VAT.

Appli-Kit: Applesoft utility. Appli-Kit is a package designed to aid the writing and debugging of Applesoft Basic programs. All commands are typed in as if they are part of the standard Applesoft set. Price £25.00 + VAT.

Wildcard: plugs into any slot and copies the program in core onto a standard DOS disc. Copies 48K core resident programs. No parameter list needed. Copies most programs requiring RAM card. Copies made with the Wildcard can be copied with standard copy programs. Copies even the bit copiers. Works with any RAM card - plugs into any slot. Price £99.00 + VAT. (Now works with //e.)

Wild-Word: a 40 column word processor for the II or //e. True SHIFT key operation. Built-in mailing list and merge. Core-resident.

Price £35.00 + VAT.

Format-80: 80 column word processor for II and //e. What you see is what you get. Editing and formatting achieved with single keystrokes. Supports all Apple compatible printers. Mailing list and merge feature. Core-resident. Price £129.00 + VAT.

Ramview: 80 column board for the //e, upgradeable to 64K. Price £80.00 + VAT.

All Elite Software Company products are not copy protected.

Elite Software Company, 2 Almorah Road, Heston, Tel. 01-572-0453 Middlesex, TW5 9AD.



SAVES TIME

Imagine the time, energy, and frustration you could save by boosting your Apple's speed from 1 Mhz to 3.58 Mhz. That's 3½ times faster than normal, making the Apple II Plus arguably the fastest Micro on the market.

How is it possible? It's all down to ACCELERATOR II. This new plug-in board from Pete & Pam Computers contains a 6502C Processor and 64K of memory. The board runs all native Apple II software, including programs written in Applesoft, Integer, Machine Code, Pascal, Apple Fortran 77 and Forth.

Amongst the many thousands who could benefit from ACCELER-ATOR II are users of Visicalc, DB Master, Micro Modeller, Multiplan Tabs, and Systematics.

SUPER FAST

In November 1982, PCW published a bumper round up of all the Benchmark Timings since PCW began. The Oliverti M20 came out top of the 'league' with an average Benchmark timing of 11.5. Running the same Benchmark test programs, the Apple II Plus with Accelerator II averages a timing of 8.58 that's an incredible 25% faster than the Olivetti M20.

We have reproduced some of PCW's findings, incorporating Benchmark Timings for the Apple II Plus with Accelerator II.

Machine	вм1	вм2	вмз	ВМ4	BM5	вме	вм7	BM8	Average
Apple II Plus with									
Accelerator II	0.3	2.4	4.5	5.0	5.5	8.2	12.9	2.98	8.6
Olivetti M20	1.3	4.0	8.1	8.5	9.6	17.4	26.7	1.6	11.5
IBM Personal Computer	1.5	5.2	12.1	12.6	13.6	23.5	37.4	3.5	17.6
Osborne 01	1.4	4.4	11.7	11.6	12.3	21.9	34.9	6.1	19.9
Intertec Superbrain	1.6	5.2	14.0	13.9	14,8	26.3	43.2	5.6	21.9
Apple III	1_/	7.2	13.5	14.5	16.0	27.0	42.5	7.5	24.7
ACT Sirius 1	2.0	7.4	17.0	17.5	19.8	35.4	55.9	4.3	24.8
Xerox 820	1.7	5.5	15.5	15.1	16.2	28.9	46.1	8.0	26.1
Apple II	1.3	8.5	16.0	17.8	19.1	28.6	44.8	10.7	30.4
Commodore CBM 8032	1.7	10.0	18.4	20.3	21.9	32.4	51.0	11.9	34.3

So don't wait — start to save time now. Contact your local dealer, or call us on (0706) 212321, or, in London on 01-769 1022.

A faster, easier computing life is on its way.

AVAILABLE NOW FROM -



Head Office: NEW HALL HEY ROAD, Rossendale, Lancs, BB4 6JG Tel: Ross. (0706) 212321 & 227011 Telex. 635740 PETPAM G London Office 103-5 BLEGBOROUGH RD. London, SW16 6DL Tel. 01-769 1022/3/4 Telex: 923070 PPCOMP G